

I. RETIREMENTS

The retirements of the following named members, in accordance with the provisions indicated, became effective 0800 hours, July 1, 1985:

District Fire Chief		
Leo J. McElaney	District 10	S5, C32, G.L.
Fire Lieutenant		
Daniel J. Parma	Marine Unit	S5, C32, G.L.
Fire Lieutenant		
George W. Sangster	Engine Co. 29	S5, C32, G.L.

District Fire Chief McElaney was appointed to the department January 21, 1948, promoted to Fire Lieutenant on June 22, 1955, promoted to Fire Captain on November 30, 1966 and promoted to District Fire Chief on August 5, 1970. Fire Lieutenant Parma was appointed January 22, 1947 and promoted to Fire Lieutenant on December 17, 1975. Fire Lieutenant Sangster was appointed February 15, 1950 and promoted to Fire Lieutenant on June 20, 1962.

The retirements of the following named members, in accordance with the provisions indicated, became effective 0800 hours, July 2, 1985:

Fire Lieutenant		
Francis J. Chapin	Engine Co. 39	S7, 94, C32, G.L.
Fire Lieutenant		
John J. B. Sheehan	Engine Co. 29	S7, C32, G.L.
Fire Fighter		
Joseph M. Gilmore	Engine Co. 14	S7, 94, C32, G.L.
Fire Fighter		
Joseph T. Mulligan	Engine Co. 20	S7, 94, C32, G.L.
Fire Fighter		
John A. Feeney	Engine Co. 22	S7, C32, G.L.
Fire Fighter		
Thomas F. Kennedy	Ladder Co. 6	S7, C32, G.L.
Fire Fighter		
Frederick M. Toomey	Fire Prevention	S7, C32, G.L.
Fire Fighter		
Joseph A. Kardoos	Ladder Co. 15	S7, C32, G.L.
Fire Fighter		
Charles J. Kelley	Aerial Tower 2	S7, C32, G.L.
Fire Fighter		
John M. Shea	Ladder Co. 25	S7, C32, G.L.
Fire Fighter		
Robert D. Moccia	Ladder Co. 1	S7, C32, G.L.
Fire Fighter		
Francis A. Doyle	Ladder Co. 18	S7, C32, G.L.
Fire Fighter		
Paul R. Murray	Engine Co. 53	S7, 94, C32, G.L.

Fire Lieutenant Chapin was appointed to the department July 20, 1949 and promoted to Fire Lieutenant June 29, 1960. Fire

Lieutenant Sheehan was appointed January 18, 1967 and promoted to Fire Lieutenant May 23, 1979. Fire Fighter Gilmore was appointed January 21, 1948. Fire Fighter Mulligan was appointed September 9, 1964. Fire Fighter Feeney was appointed January 18, 1967. Fire Fighter Kennedy was appointed December 24, 1969. Fire Fighter Toomey was appointed June 3, 1970. Fire Fighter Kardoos was appointed August 12, 1970. Fire Fighter Kelley was appointed December 30, 1970. Fire Fighter Shea was appointed July 7, 1971. Fire Fighter Moccia was appointed August 25, 1971. Fire Fighter Doyle was appointed October 20, 1971. Fire Fighter Murray was appointed July 26, 1972.

All of these members leave the department with the best wishes of their associates.

## II. FIRE ALARM BOX INSTALLED

The following numbered fire alarm box has been installed and company commanders shall add it to circuit card #74:

13-7115

Stone & Webster Office Bldg.  
51 Sleeper Street

BY ORDER OF FIRE COMMISSIONER LEO D. STAPLETON



### I. RETIREMENT

The retirement of the following named member, in accordance with the provisions of S5, C32, G.L., will become effective 0800 hours, August 1, 1985:

Fire Fighter Bernard F. Woods                      Engine Company 22

Fire Fighter Woods was appointed to the department July 6, 1955. Fire Fighter Woods leaves the department with the best wishes of his associates.

### II. RESIGNATIONS

The resignations of the following named members became effective on the dates indicated:

Fire Fighter on Probation Roy A. Frederick	Engine Co. 4	0800, 7.6.85
Fire Fighter on Probation James M. Thompson	Engine Co. 5	0800, 7.10.85

### III. FIRE ALARM BOXES INSTALLED

The following numbered fire alarm boxes have been installed and company commanders shall add them to their respective circuit cards:

Box 12-5197	Buildings 1 & 2 6 - 8 Fidelis Way	Circuit #73
Box 19-5197	Building 10 5 - 7 Fidelis Way	Circuit #73
Box 21-5197	Building 11 1 - 3 Fidelis Way	Circuit #73
Box 16-7115	Office Building 320 Congress Street	Circuit #74

### IV. CHANGE IN DESIGNATION OF FIRE ALARM BOX

The designation of the following numbered fire alarm box has been changed to read as follows:

Box 16-5193	St. Elizabeth Ann Seton Bldg. 736 Cambridge St.
-------------	--

Company commanders shall make the above changes on assignment cards.

V. FIRE ALARM BOXES ESTABLISHED

The following numbered fire alarm boxes have been established:

Box 14-1491                      Tufts University Health & Education Bldg.  
   145 Harrison Ave.

Box 12-5211                      Embassy Suites Hotel  
   400 Soldiers Field Road

Company commanders shall add these fire alarm boxes to the U.A.A.B. assignment cards. The circuit numbers will be announced when the boxes are installed.

BY ORDER OF FIRE COMMISSIONER LEO D. STAPLETON



GENERAL ORDERS  
NO. 30

HEADQUARTERS, FIRE DEPARTMENT  
JULY 30, 1985

I. FIRE FIGHTER JAMES J. ANDERSON - LADDER COMPANY 15

It is with deep regret that the Fire Commissioner announces the death on July 25, 1985 of Fire Fighter James J. Anderson, Ladder Company 15. Fire Fighter Anderson was appointed to the department November 12, 1958.

The funeral was held from the John O'Connor & Son Funeral Home, 740 Adams Street, Dorchester, Monday, July 29, 1985 at 0800 hours, followed by a Funeral Mass in Saint Ann's Church, Neponset Avenue, Dorchester, at 0900 hours.

The Fire Commissioner made the customary detail to act as funeral escort and members of the Training & Maintenance Division, Fire Prevention Division, Headquarters and the Rifle Honor Guard were excused to attend the services.

II. RETIREMENTS

The retirements of the following named members will become effective 0800 hours, August 1, 1985:

Fire Captain		
Blaise J. Germano	Engine Co. 39	S7,94,C32,G.L.
Fire Lieutenant		
Walter J. Buckley	Engine Co. 9	S7,C32,G.L.
Fire Lieutenant		
Michael J. Bruno	Ladder Co. 10	S7,C32,G.L.

Fire Captain Germano was appointed to the department May 20, 1964, promoted to Fire Lieutenant February 2, 1972 and promoted to Fire Captain February 25, 1976. Fire Lieutenant Buckley was appointed January 22, 1947 and promoted to Fire Lieutenant May 23, 1979. Fire Lieutenant Bruno was appointed May 29, 1957 and promoted to Fire Lieutenant September 20, 1972.

All of these members leave the department with the best wishes of their associates.

III. TRANSFERS

The transfers of the following named members will become effective 0800 hours, Saturday, August 3, 1985:

Fire Lieutenant		
Ronald W. Keating	Engine Co. 29	to Engine Co. 17
Fire Lieutenant		
James G. Ferris	Engine Co. 33	to Engine Co. 37
Fire Lieutenant		
William J. Goglia	Headquarters	to Engine Co. 51
Fire Lieutenant		
Ralph D. Ciavattone	Ladder Co. 14	to Ladder Co. 4
Fire Lieutenant		
William D. Shea	Engine Co. 24	to Marine Unit

## TRANSFERS CONTINUED

Fire Fighter	Robert F. Murphy	Fire Prevention	to Headquarters
Fire Fighter	James J. Carter	Train. & Maint.	to Engine Co. 3
Fire Fighter	James F. Flattery	Ladder Co. 14	to Engine Co. 41
Fire Fighter	George J. Carey	Ladder Co. 11	to Engine Co. 17
Fire Fighter	Wayne C. Pearson	Ladder Co. 7	to Engine Co. 51
Fire Fighter	Alfonzia Holland	Ladder Co. 24	to Engine Co. 22
Fire Fighter	Paul J. Cedorchuk	Tower Unit	to Ladder Co. 1
Fire Fighter	Arthur G. Raineri	Engine Co. 7	to Marine Unit

The following named members will be transferred to Personnel/Medical, effective 0800 hours, Saturday, August 3, 1985:

Distirct Fire Chief	James L. Collins	District 9
Fire Fighter	Carl F. Cuqua	Training & Maintenance

## IV. FIRE ALARM BOXES IMSTALLED

The following numbered fire alarm boxes have been installed and company commanders shall add them to their respective circuit cards:

Box 12-3773	Boston Police Academy 85 Williams Avenue Circuit #57
Box 25-5197	Day Care Center 10-12 Fidelis Way Circuit #21

BY ORDER OF FIRE COMMISSIONER LEO D. STAPLETON



GENERAL ORDERS  
NO. 31

HEADQUARTERS, FIRE DEPARTMENT  
AUGUST 12, 1985

I. RETIREMENTS

The retirement of the following named member, in accordance with the provisions indicated, became effective 0800 hours, July 27, 1985:

District Fire Chief  
Charles M. Buchanan                      District 10                      S58, C32, G.L.

District Fire Chief Buchanan was appointed to the department April 7, 1948, promoted to Fire Lieutenant June 13, 1962, promoted to Fire Captain October 25, 1967 and promoted to District Fire Chief July 28, 1971.

The retirements of the following named members, in accordance with the provisions indicated, became effective 0800 hours, August 1, 1985:

Fire Fighter  
George W. Cameron                      Fire Prev. Div.                      S7-94, C32, G.L.  
Fire Fighter  
Edmond V. Raymond, Jr.                      Ladder Co. 23                      S7, C32, G.L.

Fire Fighter Cameron was appointed to the department January 18, 1967. Fire Fighter Raymond was appointed December 29, 1971.

All of these members leave the department with the best wishes of their associates.

II. RETIREMENT PROVISION CHANGE

The provision for the retirement of Fire Lieutenant Walter J. Buckley, as indicated in General Orders No. 30, 1985, should read S7-94, C32, G.L.

II. ASSIGNMENT OF FIRE FIGHTERS ON PROBATION

The following named will be appointed Fire Fighters on Probation, effective 0800 hours, August 14, 1985 and assigned to the following named companies: 10/20

Lawrence Crosby	Engine Company 39
Paul T. Capeless	Engine Company 22
Victor R. Arrington	Ladder Company 19
Kirk E. Sumner	Engine Company 4
Karen L. Miller	Ladder Company 10
Barbara A. Marotta	Engine Company 10
Ricardo Anderson	Ladder Company 21
Michael P. McLean	Ladder Company 29
Willie E. Bogues	Engine Company 4
Daniel J. Burns	Engine Company 5
Eddie Johnson	Engine Company 56

August 12, 1985

Leonard R. Pacino	Ladder Company 26
Darryl L. Smith	Ladder Company 9
Donald A. Robinson	Ladder Company 10
Yuji Hairston	Ladder Company 14
Stephen P. Sullivan	Engine Company 29
Nelson Santiago	Ladder Company 7
Kevin P. McGrail	Ladder Company 11
Lance A. Selman	Tower Unit
Peter P. Pearson	Engine Company 52
Harry O. Alicea	Engine Company 22
Daniel W. O'Connor	Engine Company 37
Anthony Thompson	Engine Company 24
Timothy P. O'Callaghan	Engine Company 51
Marvin E. Allen	Ladder Company 18
Kevin P. Hastie	Engine Company 28
Jeffery C. Fleming	Ladder Company 17
James P. Moran	Ladder Company 29
Anthony Gales	Ladder Company 24
Stephen G. Kennedy	Engine Company 41
Richard D. Hall	Ladder Company 11
Joseph P. Duffy	Engine Company 29

These members will be detailed to the Training & Maintenance Division for a period of nine weeks. They will report to their assigned company for a night tour of duty each Saturday night during their drill school period starting August 31, 1985. 11/12/85

The Fire Fighters on Probation shall not be used as company strength or detailed while attending drill school.

#### IV. FIRE ALARM BOXES ESTABLISHED

The following numbered fire alarm boxes will be installed in the near future. The circuit numbers will be announced when the boxes are installed.

12-1615	South Cove Nursing Home 120 Shawmut Ave.
12-1511	Boston Y.M.C. Union 48 Boylston St.
12-2287	Council of Elders 2875 Washington St.
13-2375	N.E. Baptist Hospital Power Plant Rear 125 Parker Hill Ave. (Enter at Fisher Ave. & Estey St.)

BY ORDER OF FIRE COMMISSIONER LEO D. STAPLETON



GENERAL ORDERS  
NO. 33

HEADQUARTERS, FIRE DEPARTMENT  
AUGUST 28, 1985

I. RETIREMENTS

The retirements of the following named members, in accordance with the provisions indicated, will become effective 0800 hours, September 1, 1985:

District Fire Chief		
Robert R. Donovan	District 11	S7,94,C32,G.L.
Fire Fighter		
(Insp. of Fire Apparatus)		
Christopher J. Harris	Maintenance	S5,C32,G.L.
Fire Fighter		
Robert D. O'Neill	Ladder Co. 17	S5,C32,G.L.
Fire Fighter		
Juan Matos	Engine Co. 22	S7,C32,G.L. subject to the provisions of S8,C32,G.L.

District Fire Chief Donovan was appointed to the department October 19, 1955, promoted to Fire Lieutenant October 25, 1967, promoted to Fire Captain July 15, 1970 and promoted to District Fire Chief April 11, 1979. Fire Fighter (Inspector of Fire Apparatus) Harris was appointed February 3, 1947. Fire Fighter O'Neill was appointed March 15, 1950. Fire Fighter Matos was appointed January 17, 1968.

All of these members leave the department with the best wishes of their associates.

II. TRANSFERS

The following named members will be transferred effective 0800 hours, August 31, 1985:

District Fire Chief		
John J. Ellard	District 3	Safety Division
District Fire Chief		
Robert F. Snell	District 3	Safety Division
District Fire Chief		
Hugh F. Duffy	Safety Division	District 10
District Fire Chief		
Arthur L. Glover	Safety Division	District 4
District Fire Chief		
James J. McCabe	Safety Division	District 9
Fire Lieutenant		
Bernard T. Ryan	Ladder Co. 9	Engine Co. 24
Fire Lieutenant		
Hugh F. Duffy, Jr.	Headquarters	Engine Co. 33
Fire Lieutenant		
Peter A. Gailunas	Headquarters	Engine Co. 29
Fire Lieutenant		
Irving W. Shea	Headquarters	Ladder Co. 14

## TRANSFERS CONTINUED

Fire Fighter	Donald R. Reisner	Engine Co. 30	Train. & Maint.
Fire Fighter	David F. Walsh	Ladder Co. 15	Engine Co. 50
Fire Fighter	Harold G. Magee	Ladder Co. 11	Ladder Co. 14
Fire Fighter	James E. White	Engine Co. 56	Engine Co. 8
Fire Fighter	Alexander Lindsay	Engine Co. 56	Engine Co. 22
Fire Fighter	Jean V. Dunham	Ladder Co. 14	Engine Co. 51
Fire Fighter	Francis C. Prendergast	Engine Co. 29	Engine Co. 52
Fire Fighter	Mark S. Patrick	Ladder Co. 21	Ladder Co. 24
Fire Fighter	Herbert Pearlstein	Engine Co. 4	Safety Division
Fire Fighter	Richard E. Jones	Engine Co. 4	Safety Division
Fire Fighter	William P. Dilworth	Engine Co. 17	Pers./Med.
Fire Fighter	Edward R. Connolly	Safety Div.	Ladder Co. 17
Fire Fighter	Richard D. Reynolds	Safety Div.	Engine Co. 42
Fire Fighter	Charles R. Warnock	Safety Div..	Engine Co. 55

## III. FIRE ALARM BOXES ESTABLISHED

The following numbered fire alarm boxes will be installed in the near future. The circuit numbers will be announced when the boxes are installed.

Box 13-2538	State Bio Laboratory 375 South St.
Box 12-3247	Susse Chalet Inn 900 Morrissey Blvd.
Box 12-4173	Schraffts 529 Main Street
Box 12-5264	Harvard View 230 Western Ave.



## IV. FIRE ALARM BOXES INSTALLED

The following numbered fire alarm boxes have been installed and company commanders shall add them to their respective circuit cards:

Box 12-2287	Council of Elders 2875 Washington St.	Circuit #56
Box 12-5211	Embassy Suites Hotel 400 Soldiers Field Rd.	Circuit #14
Box 14-1491	Tufts Univ. Health & Education Bldg. 145 Harrison Ave.	Circuit #55
Box 12-3247	Susse Chalet Inn 900 Morrissey Blvd.	Circuit #40
Box 12-1615	South Cove Nursing Home 120 Shawmut Ave.	Circuit #50

## V. NEW STREETS

Notice has been received from the Public Improvement Commission that the following new streets have been named:

Design Center Place South Boston	from 13 Drydock Avenue approximately 320 feet southerly
Drydock Avenue South Boston	from 660 Summer Street approximately 3,580 feet easterly and southerly

## VI. STREETS DISCONTINUED

Notice has been received from the Public Improvement Commission that the following named streets have been discontinued:

Commercial Street Boston Proper	from Chatham Street to Clinton Street
Roxbury Street Roxbury	a portion from Elmwood Street to Columbus Avenue
Penryth Street Roxbury	from Columbus Avenue to Centre Street
Newark Street Roxbury	from Cedar Street to south of Merton Place

BY ORDER OF ACTING FIRE COMMISSIONER ROBERT J. HAMILTON

GENERAL ORDERS  
NO. 34

HEADQUARTERS, FIRE DEPARTMENT  
SEPTEMBER 6, 1985

I. FIRE FIGHTRER EDWARD F. FITZGERALD  
TRAINING & MAINTENANCE DIVISION

It is with deep regret that the Fire Commissioner announces the death on August 27, 1985 of Fire Fighter Edward F. Fitzgerald, Training & Maintenance Division. Fire Fighter Fitzgerald was appointed to the department January 4, 1956.

The funeral was held from the Paul Dolan Funeral Home, 1140 Washington Street, Dorchester, at 0900 hours, Friday, August 30, 1985, followed by a Funeral Mass in St. Mary of the Hills Church, 29 St. Mary's Street, Milton, at 1000 hours.

The Fire Commissioner made the customary detail to act as funeral escort and members of the Training and Maintenance Division, Fire Prevention Division, Headquarters and the Rifle Honor Guard were excused to attend the services.

II. RETIREMENTS

The retirement of the following named member, in accordance with the provision indicated, became effective 0800 hours, August 30, 1985:

Fire Fighter

George A. Robbins	Headquarters	S58, C32, G.L.
-------------------	--------------	----------------

The retirement of the following named member, in accordance with the provision indicated, became effective 1700 hours, September 3, 1985:

Working Foreman Leather & Canvas Worker

James H. Pratt	Maintenance Div.	S5, C32, G.L.
----------------	------------------	---------------

Fire Fighter Robbins was appointed to the department January 21, 1948. Working Foreman Leather & Canvas Worker Pratt was appointed August 2, 1950.

Both of these members leave the department with the best wishes of their associates.

III. FIRE ALARM BOX INSTALLED AND ADDRESS CHANGED

The following numbered fire alarm box has been installed on circuit #78 and the address has been changed to read as follows:

Box 12-1376	Charles Street Office Bldg. 15 River Street
-------------	--

BY ORDER OF FIRE COMMISSIONER LEO D. STAPLETON



I. FIRE FIGHTER JAMES D. EALEY, ENGINE COMPANY 3

It is with deep regret that the Fire Commissioner announces the death on September 5, 1985 of Fire Fighter James D. Ealey, Engine Company 3. Fire Fighter Ealey was appointed to the department June 3, 1970.

The funeral was held from the J. B. Johnson Funeral Home, 196 Warren Street, Roxbury, on Wednesday, September 11, 1985, followed by funeral services in the Ebenezer Baptist Church, 147 West Springfield Street, Boston, at 1100 hours.

The Fire Commissioner made the customary detail to act as funeral escort and members of the Training and Maintenance Division, Fire Prevention Division, Headquarters Division, Engine Company 3 and the Rifle Honor Guard were excused to attend the services.

III. PROMOTION TO FIRE LIEUTENANT

The following named member will be promoted to Fire Lieutenant and transferred to Headquarters, effective 0800 hours, Wednesday, September 18, 1985:

Fire Fighter George P. Hession

Engine Company 55

IV. FIRE ALARM BOXES INSTALLED

The following numbered fire alarm boxes have been installed and company commanders shall add them to their respective circuit cards:

Box 12-2232

Smith House  
757 Shawmut Avenue  
Circuit #37

Box 13-4121

Constitution Plaza Bldg. A  
0 Water Street  
Circuit #43

## V. HAZARDOUS BUILDING

The building located at 406-408 Blue Hill Avenue, District 7, is in hazardous condition. Holes are in the roof and all floors. The right rear of the building shows cracking and due to being open to the weather, all floors are spongy, stairways of right side have collapsed, joists are rotted and weakened and the building appears to be infested with termites, further weakening the entire building. A large billboard is on the roof adding additional weight to an already weak building. This building is open to trespassers and children

Extreme caution must be taken at all times during fire fighting operations at this location.

This building has been posted.

BY ORDER OF ACTING FIRE COMMISSIONER ROBERT J. HAMILTON



### I. RETIREMENTS

The retirements of the following named members, in accordance with the provisions of S7, C32, G.L., subject to the provisions of S8, C32, G.L., will become effective 0800 hours, October 1, 1985:

Fire Fighter	James F. Cooley	Engine Company 55
Fire Fighter	John M. Campbell	Ladder Company 25
Fire Fighter	Joseph B. Foley	Engine Company 48

Fire Fighter Cooley was appointed to the department September 19, 1951. Fire Fighter Campbell was appointed July 7, 1971. Fire Fighter Foley was appointed March 20, 1974.

All of these members leave the department with the best wishes of their associates.

### II. TRANSFERS

The following named members will be transferred effective 0800 hours, September 28, 1985:

District Fire Chief	Alexander A. Campbell	District 3	Safety Division
Fire Lieutenant	Henry Bushe	Ladder Co. 29	Ladder Co. 28
Fire Lieutenant	William J. Goglia	Engine Co. 51	Ladder Co. 9
Fire Lieutenant	Robert E. Grenier	Ladder Co. 28	Fire Prevention
Fire Lieutenant	Ralph P. Selvitella	Ladder Co. 1	Pers./Med.
Fire Fighter	Joseph P. Lordan	Engine Co. 4	Safety Division
Fire Fighter	Joseph F. Connell	Engine Co. 2	Training & Maint.
Fire Fighter	John F. Carey	Engine Co. 42	Fire Prevention
Fire Fighter	John F. Sullivan	Engine Co. 33	Engine Co. 29
Fire Fighter	David L. Packard	Engine Co. 52	Engine Co. 30
Fire Fighter	Gerard T. Fontana	Engine Co. 51	Tower Company
Fire Fighter	Eddie Rodgers	Engine Co. 28	Ladder Co. 15

## III. FIRE ALARM BOX DISCONTINUED

The following numbered fire alarm box has been removed from service and company commanders shall remove it from Circuit Card #85:

Box 12-2168      Townsend Nursing Home  
135 Townsend Street

## IV. MEMORIAL MASS

In observance of National Firefighters' Memorial Sunday, the first day of Fire Prevention Week, we shall have a Memorial Mass at Saint Francis de Sales Church, Bunker Hill Street, Charlestown, on Sunday, October 6th, at 1000 hours. Please join us for this Memorial. Dress: civilian; coffee hour to follow in Bishop Lawton Hall.

## V. FALLEN FIRE FIGHTERS RECOGNITION DAY

On Sunday, October 13, 1985, the Fourth Annual Fallen Fire Fighters Memorial Program will be conducted on the grounds of the National Fire Academy, Emmitsburg, MD., with a wreath laying ceremony at the Fallen Fire Fighters Memorial.

As Fire Commissioner of the City of Boston, it is my intention to have the Boston Fire Department participate in this commemorative day in the following manner:

At 0800 hours, Sunday, October 13, 1985, all fire houses shall lower the flag to half-mast for the remainder of the day.

At 1200 hours (noon), all companies shall place apparatus on aprons and sound sirens for approximately 10-15 seconds.

Members wearing uniform badges shall wear "sorrow bands" over uniform badge.

Company commanders shall make note of this Memorial Program in their daily diary.

The Public Information Office shall make every effort to publicize this recognition day in local media.

BY ORDER OF FIRE COMMISSIONER LEO D. STAPLETON



FIRE PREVENTION WEEK

Fire Prevention Week will be observed in the City of Boston from October 6 to October 12, 1985, inclusive.

During Fire Prevention Week, company officers and all members shall review the Smoke Detector Laws so that people visiting the fire houses can get the correct answers to Smoke Detector Laws.

Fire stations shall be open to the public between the hours of 1200 and 2000 hours for inspection of the premises and for the conveyance of information concerning the fire department functions and fire prevention matters. When citizens come to a station during Fire Prevention Week, the man on house patrol shall summon the commanding officer who should be available and ready to either show the visitors around the station and to answer the questions regarding the department, or to have a suitable person assigned to this duty.

The officer in charge of quarters shall see that the Fire Prevention Week plywood sign issued to all stations is displayed during this week. It is the responsibility of company officers to see to it that these signs are kept in good condition from year to year. Signs should be displayed from Sunday to Saturday. Signs shall be checked daily by the officer in charge of quarters to assure that they are firmly affixed to the building in a proper manner.

District Fire Chiefs are directed to take an active interest in Fire Prevention Programs in the following manner:

By making arrangements with the various plants and industrial enterprises within the district to hold fire drills during the week, by grading these drills as good, fair, or poor and making a report of same to the Fire Prevention Division, indicating the name of the enterprise, the date of the drill and the grade. Same should be forwarded promptly. Each concern should be requested to acknowledge participation in Fire Prevention Week activities via written correspondence. These drills should be conducted by a company officer after arrangements are made. At plants where there are special or company fire brigades, particular attention should be given to assignments and/or response procedures. It is requested that the name of the company officer conducting the drill be furnished. It is anticipated that not less than three drills be conducted in each district.

Company officers will contact school officials in the schools in their sub-district and make arrangements to hold the required fire exit drills during Fire Prevention Week, if feasible. The fire exit drill shall be so arranged that it will be held prior to the end of the school day.



The District Fire Chief should compile a list of fraternal, social, civic and professional organizations within the district and advertise to them the willingness of the fire department to provide company officers for the purpose of lecturing on fire prevention at any time. District Fire Chiefs should make a concerted effort to bring the activities of the department before these organizations and arrange for lectures to be given. The name of any organization so participating should be reported to the Fire Prevention Division, specifically if the organization can be urged to forward on their own stationery a notation of the event, it would be to the greater advantage of the fire department.

Fire fighters are to pay special attention to the observance of fire hazards and to the duty of observing and locating fire hazards along the route followed by them in their coming to and going from daily work. Dilapidated buildings, rubbish accumulation and other hazards should be reported to the Fire Prevention Division. The public expects uniformed members of the fire department to know something about fire prevention work and to have an interest in this subject since they are public employees engaged in this field. Fire fighters, therefore, during Fire Prevention Week should have this subject uppermost in their minds and they should not pass a fire hazard at any time without making a note of it for reference to the Fire Prevention Division. In short, every uniformed man in the fire department is a fire prevention inspector at all times.

Company commanders, on receipt of the Fire Prevention posters, will post these items in a suitable location at the front of each fire station where they will be visible to the public. They will remain posted until October 12, 1985.

A list of all fire prevention activities and their locations will be forthcoming.

BY ORDER OF FIRE COMMISSIONER LEO D. STAPLETON



## I. FIRE PREVENTION WEEK PARADE

The Fire Commissioner invites all members and their families to join in the observance of Fire Prevention Week by attending the Fire Prevention/Columbus Day Parade in downtown Boston, which begins at 1245 hours, Sunday, October 13, 1985. The parade will form at Gloucester Street and Commonwealth Avenue, proceeds to Arlington Street, Boylston Street, Charles Street, Beacon Street, Tremont Street, Court Street, State Street, Congress Street, North Street, Clinton Street, Commercial Street, Lewis Street, North Street, Battery Street, Hanover Street, Cross Street, Endicott Street, to Keaney Square. The following Boston Fire Department units will participate:

Engine Company 10  
Engine Company 20  
Ladder Company 1  
Ladder Company 17  
Tower Company  
Rescue Company  
Engine Company 48

Further information can be obtained by calling the Public Information Office at Fire Headquarters.

## II. FIRE PREVENTION WEEK ACTIVITIES

The Boston Fire Department is engaged in a program of projecting fire prevention to the public. To assist in setting this example, it is the sincere wish of the Fire Commissioner that all members of the department support its fire prevention week activities. This may be done by advertising to your family, friends and relatives those events which are in support of this worthwhile activity and by contributing their presence whenever possible. A schedule of fire prevention activities is furnished herewith.

### HOURS

1000

MONDAY, OCTOBER 7, 1985

JOHN F. KENNEDY FEDERAL BUILDING GOVERNMENT  
Center

Division 1 and District 3 to act as observers of evacuation drill. Ladder 24 to raise aerial with man over ladder. Engine 4 to run short line to door.

HOURSTUESDAY, OCTOBER 8, 1985

1000

U.S. FOOD AND DRUG ADMINISTRATION - 585  
COMMERCIAL STREET

Division 1 and District 3 to act as observers of evacuation drill. Ladder 1 to raise aerial with man over ladder. Engine 8 to run short line.

WEDNESDAY, OCTOBER 9, 1985

1000

J.W. MCCORMACK POST OFFICE & COURTHOUSE  
BUILDING

Division 1 and District 3 to act as observers of evacuation drill. Ladder 24 to raise aerial with man over ladder. Engine 4 to run short line to loading platform.

1345

GENERAL MAIL FACILITY, SO. POSTAL ANNEX DOOR  
91

Division 1 and District 4 to act as observers of evacuation drill. Ladder 17 to raise aerial with man over ladder. Engine 7 to run short line.

THURSDAY, OCTOBER 10, 1985

1000

U.S. CUSTOM HOUSE - INDIA SQUARE

Division 1 and District 3 to act as observers of evacuation drill. Ladder 24 to raise aerial with man over ladder. Engine 10 to run short line.

1130

BACK BAY POSTAL ANNEX - 390 STUART ST.

Division 1 and District 4 to act as observers of evacuation drill. Ladder 17 to raise aerial with man over ladder.

1300

U.S. POST OFFICE GARAGE - 135 A STREET

Division 1 and District 6 to act as observers of evacuation drill. Ladder 18 to raise aerial with man over ladder. Engine 39 to run short line.



HOURS

THURSDAY, OCTOBER 10, 1985

1400

VETERAN'S ADMINISTRATION - 17 COURT STREET

Division 1 and District 3 to act as observers of evacuation drill. Ladder 24 to raise aerial with man over ladder. Engine 4 to run short line.

BY ORDER OF ACTING FIRE COMMISSIONER ROBERT J. HAMILTON

#### I. RETIREMENT

The retirement of the following named member, in accordance with the provisions of S7, 94, C32, G.L., subject to the provisions of S8, C32, G.L., became effective 0800 hours, October 1, 1985:

Fire Fighter  
Richard M. Toohey                      Ladder Co. 10

Fire Fighter Toohey was appointed to the department July 23, 1975. He leaves the department with the best wishes of his associates.

#### II. RESIGNATION

The resignation of the following named member became effective October 3, 1985, at 1130 hours:

Fire Fighter  
Gerald Regnier                      Engine Co. 8

#### III. TRANSFERS

The transfers of the following named members to Personnel/Medical will become effective at 0800 hours, Wednesday, October 9, 1985:

Fire Fighter  
Nelson S. Bellissimo                      Ladder Co. 9

Fire Fighter  
Richard M. Dorion                      Engine Co. 2

Fire Fighter  
Francis W. Gallagher                      Rescue Co. 1

Fire Fighter  
Francis T. Graham                      Training & Maintenance

Fire Fighter  
Walter A. McPherson                      Ladder Co. 18

#### IV. REINSTATEMENT

The following named member will be reinstated, effective 0800 hours, October 9, 1985:

Fire Fighter  
John J. Cloherty                      Engine Co. 3



## V. FIRE ALARM BOXES ESTABLISHED

The following numbered fire alarm boxes have been established and company commanders shall add them to the appropriate UAAB assignment cards:

Box 12-1434	Office Building 20-24 East Street
Box 13-1352	#2 Hawthorne Place 85 William Cardinal O'Connell Way
Box 13-1471	China Trade Building 2 Boylston Street
Box 14-1352	#9 Hawthorne Place 85 William Cardinal O'Connell Way
Box 14-6174	General Ship Corporation 329 Border Street
Box 15-6174	General Ship Corporation 347 Border Street
Box 16-6174	General Ship Corporation 366 Border Street

The circuit numbers will be announced when the boxes are installed.

## VI. CHANGE IN DESIGNATION OF FIRE ALARM BOX

The designation of the following fire alarm box has been changed to read as follows:

Box 2541	2541 Washington St. & Glen Road
----------	---------------------------------

Company commanders shall make the above change on UAAB assignment cards.

BY ORDER OF FIRE COMMISSIONER LEO D. STAPLETON

GENERAL ORDERS  
NO. 40

HEADQUARTERS, FIRE DEPARTMENT  
OCTOBER 21, 1985

I. FIRE LIEUTENANT CLIFFORD F. PASCHAL - ENGINE COMPANY 49

It is with deep regret that the Fire Commissioner announces the death on October 15, 1985 of Fire Lieutenant Clifford F. Paschal, Engine Company 49. Fire Lieutenant Paschal was appointed to the department November 13, 1957 and promoted to Fire Lieutenant March 19, 1975.

The funeral was held from the Carroll-Thomas Funeral Home, 22 Oak Street, Hyde Park, Friday, October 18, 1985, at 0900 hours, followed by a Funeral Mass in St. Anne's Church, 90 West Milton Street, Readville, at 1000 hours.

The Fire Commissioner made the customary detail to act as funeral escort and members of Engine Company 49, Training and Maintenance Division, Fire Prevention Division, Headquarters and the Rifle Honor Guard were excused to attend the services.

II. RETIREMENTS

The retirements of the following named members, in accordance with the provisions of Section 7, C32, G.L., subject to the provisions of Section 8, C32, G.L., will become effective 0800 hours, November 1, 1985:

Fire Fighter Austin J. Dunn  
Fire Fighter Allan Llewellyn

Engine Company 49  
Train. & Maint. Div.

Fire Fighter Dunn was appointed to the department February 19, 1969. Fire Fighter Llewellyn was appointed December 24, 1969. Both of these members leave the department with the best wishes of their associates.

III. REINSTATEMENT

The following named member has been reinstated, effective 0800 hours, October 16, 1985:

Francis X. Fay

Ladder Company 29

IV. TRANSFERS

The transfers of the following named members became effective 0800 hours, October 17, 1985:

Fire Fighter James F. Reilly  
Fire Fighter Robert F. Murphy

Headquarters to Engine Co. 21  
Headquarters to T & M Div.



## VI. FIRE ALARM BOXES ESTABLISHED

The following numbered fire alarm boxes will be installed in the near future. The circuit numbers will be announced when the boxes are installed.

15-1296	Market Place 200 State St.
4191	Constitution Road & Terminal Street
13-6232	Avis 375 McClellan Highway

## VII. FIRE ALARM BOXES INSTALLED

The following numbered fire alarm boxes have been installed and company commanders shall add them to their respective circuit cards:

14-6174	General Ship Corp. 329 Border St. Circuit #89
15-6174	General Ship Corp. 347 Border St. Circuit #89
16-6174	General Ship Corp. 336 Border St. Circuit #28

## VIII. CHANGE IN DESIGNATION OF FIRE ALARM BOXES

The designation of the following numbered fire alarm boxes have been changed to read as follows:

4129	Constitution Rd. near Vine St.
16-6174	General Ship Corp. - 336 Border St.
421	Boston National Historical Park Bldg. I, Second Ave. opp. Fourth St.

Company commanders shall make the above changes on U.A.A.B. assignment cards.

## IX. STREET NAME CHANGE

Chelsea Street, from the north approach of the Mystic-Tobin Bridge to Terminal Street, has been changed to Constitution Road. Bainbridge Street no longer exists.

BY ORDER OF FIRE COMMISSIONER LEO D. STAPLETON



I. GENERAL MAINTENANCE MECHANIC FOREMAN DAVID F. REYNOLDS  
TRAINING & MAINTENANCE DIVISION

It is with deep regret that the Fire Commissioner announces the death on October 20, 1985 of General Maintenance Mechanic Foreman David F. Reynolds.

The funeral was held from the George Doherty Funeral Home, 1305 Highland Avenue, Needham, Thursday, October 24, 1985, at 0900 hours, followed by a Funeral Mass in Saint Bartholomew's Church, Greendale Avenue, Needham, at 1000 hours.

General Maintenance Mechanic Foreman Reynolds was appointed to the department March 2, 1951.

II. ASSIGNMENT OF FIRE FIGHTERS ON PROBATION

The following named will be appointed Fire Fighters on Probation, effective 0800 hours, October 30, 1985 and assigned to the following named companies:

Orlando A. Ribeiro	Engine Company 21
James M. Bernardi	Engine Company 33
Steven L. Bush	Ladder Company 1
Ronald A. Harrington	Engine Company 28
Douglas Armstrong	Ladder Company 4
Paul F. Souza	Ladder Company 15
Melvin E. Ashley, Jr.	Ladder Company 1
John J. Forristall	Engine Company 33
Raymond A. Banks	Ladder Company 28
William M. Gaylord	Ladder Company 10
Dennis Dixon	Engine Company 2
Richard D. Mingoelli	Engine Company 37
Joseph S. Teixeira	Engine Company 14
Patrick W. Hussey	Ladder Company 16
Gary L. Walker	Ladder Company 23
David M. Ostiguy	Engine Company 52
Ronald C. White	Engine Company 21
Thomas J. Murray	Engine Company 53
Wilfredo Pacheco	Engine Company 18
John Stapleton	Ladder Company 15
Warren Williams	Engine Company 20
Kevin M. Jordan	Engine Company 56
Jay Greene	Engine Company 2
Charles J. Popp	Engine Company 29
Darrall G. Horsley	Tower Unit
Judy A. Johnson	Engine Company 9
Mark B. Matthews	Engine Company 7
Michael O. Celona	Engine Company 56

These members will be detailed to the Training & Maintenance Division for a period of nine weeks. They will report to their assigned company for a night tour of duty each Saturday night during their drill school period starting November 16, 1985.

The Fire Fighters of Probation shall not be used as company strength or detailed while attending drill school.

### III. RESIGNATIONS

The resignations of the following named members became effective on the dates indicated:

Fire Fighter Hilario Rexach	Ladder Co. 6	1200 hrs.	10.20.85
Fire Fighter Lemoine F. Covan	Engine Co. 2	0800 hrs.	10.22.85

### IV. FIRE ALARM BOX ESTABLISHED

The following numbered fire alarm box will be installed in the near future. The circuit will be announted when the box is installed.

13-7251	Bay Cove Handicapped Housing (Domicilia) 812 Dorchester Ave.
---------	---

### V. FIRE ALARM BOX INSTALLED

The following numbered fire alarm box has been installed and company commanders shall add it to circuit card #16:

12-4173	Schraffts 529 Main St.
---------	---------------------------

### VI. CHANGE IN DESIGNATION OF FIRE ALARM BOX

The following numbered fire alarm box has been changed to read:

17-751	Boston Design Center Bldg. 114, Section F Boston Marine Ind. Park 660 Summer St.
--------	---

Company commanders shall make the above mentioned change on U.A.A.B. assignment cards.



## VII. HAZARDOUS BUILDING

Building 120 - 6th Street and 2nd Avenue, Old Navy Yard, District 3, is in hazardous condition. This building is under renovation. There is no access to the second floor as the stairs have been removed. The wall is bulging on 2nd Avenue side and there is no floor behind the door on 6th Street side, allowing a 10' drop into cellar.

Extreme caution must be taken at all times during fire fighting operations at this location. This building has been posted.

BY ORDER OF FIRE COMMISSIONER LEO D. STAPLETON

### I. REINSTATEMENT

The reinstatement of the following named member became effective 0800 hours, November 6, 1985:

Ricardo Franks

Engine Company 42

### II. TRANSFERS

The transfers of the following named members will become effective 0800 hours, November 16, 1985:

F. F. William K. Herman	Ladder Co. 25	to	Engine Co. 55
F. F. Robert E. Habeeb	Pers./Medical	to	Engine Co. 30
F. F. Wilbur P. Stratton	Train. & Maint.	to	Pers./Medical

### III. FIRE ALARM BOXES INSTALLED

The following numbered fire alarm boxes have been installed and company commanders shall add them to their respective circuit cards:

12-5439	Faneuil Housing Project 89 Faneuil Street Circuit #82
12-5462	Faneuil Housing Project 250 North Beacon Street Circuit #45

### IV. FIRE ALARM BOXES ESTABLISHED

The following number fire alarm boxes have been established:

12-4214	Office Building Bldg. #36 - Charlestown Navy Yard
12-4217	Anchorage Apartments Bldg. #103 - Charlestown Navy Yard

Company commanders shall add the above mentioned fire alarm boxes to U.A.A.B. assignment cards. The circuit numbers will be announced when the boxes are installed.

### V. CHANGE IN RESPONSE

The following changes have been made in response:

Boxes 12-4164, 13-4164, 4147	drop	Marine Unit
------------------------------	------	-------------

### VI. HAZARDOUS BUILDING

The building located at 95 Von Hillern Street, District 6, is in hazardous condition because of open stairways and landings (no railings). Extreme caution must be taken at all times during fire fighting operations at this location. This building has been posted.

BY ORDER OF FIRE COMMISSIONER LEO D. STAPLETON



GENERAL ORDERS  
NO. 42

HEADQUARTERS, FIRE DEPARTMENT  
OCTOBER 31, 1985

I. FIRE FIGHTER ON PROBATION KEVIN P. MC GRAIL - LADDER COMPANY 11

It is with deep regret that the Fire Commissioner announces the death on October 27, 1985 of Fire Fighter on Probation Kevin P. McGrail, Ladder Company 11.

The funeral was held from the Carroll-Thomas Funeral Home, 22 Oak Street, Hyde Park, Wednesday, October 30, 1985 at 0900 hours, followed by a Funeral Mass in the Most Precious Blood Church, Maple Street, Hyde Park, at 1000 hours.

The Fire Commissioner made the customary detail to act as funeral escort and members of Ladder Company 11, Training and Maintenance Division, Fire Prevention Division, Headquarters and the Rifle Honor Guard were excused to attend the services.

II. RETIREMENT

The retirement of the following named member, in accordance with the provisions of S7, C32, G.L., subject to the provisions of S8, C32, G.L., will become effective 0800 hours, November 1, 1985:

Fire Fighter Douglas M. Titcomb

Headquarters

Fire Fighter Titcomb was appointed to the department July 23, 1975. Fire Fighter Titcomb leaves the department with the best wishes of his associates.

III. REINSTATEMENT

The following named member has been reinstated, effective 0800 hours, October 30, 1985:

Albert J. Lynch

Ladder Company 4

IV. TRANSFERS

The transfers of the following named members will become effective 0800 hours, Saturday, November 2, 1985:

Fire Lieutenant	
W. Michael Foley	Headquarters to Ladder Co. 29
Fire Lieutenant	
Paul Flynn	Engine Co. 8 to Ladder Co. 1
Fire Lieutenant	
George Hession	Headquarters to Engine Co. 51
Fire Fighter	
Edward C. Mahoney	Engine Co. 56 to Engine Co. 51
Fire Fighter	
William H. Mann	Engine Co. 28 to Engine Co. 5
Fire Fighter	
Richard D. Reynolds	Engine Co. 42 to Headquarters

BY ORDER OF FIRE COMMISSIONER LEO D. STAPLETON



### I. RETIREMENTS

The retirements of the following named members, in accordance with the provisions of S7, 94, C32, G.L., subject to the provisions of S8, C32, G.L., will become effective 0800 hours, December 1, 1985:

Fire Fighter Harold J. Yandle	Ladder Company 24
Fire Fighter Frederick J. Howell	Ladder Company 9

Fire Fighter Yandle was appointed to the department June 20, 1951. Fire Fighter Howell was appointed June 27, 1962.

The retirement of the following named member, in accordance with the provisions of S7, C32, G.L., subject to the provisions of S8, C32, G.L., will become effective 0800 hours, December 1, 1985:

Fire Fighter Christopher P. Connolly	Headquarters
--------------------------------------	--------------

Fire Fighter Connolly was appointed to the department December 18, 1974.

The retirement of the following named member, in accordance with the provisions of S7, C32, G.L., subject to the provisions of S8, C32, G.L., will become effective 1700 hours, November 30, 1985:

Working Foreman Arthur R. Duchaney	Maintenance Division
------------------------------------	----------------------

Working Foreman Duchaney was appointed to the department January 29, 1964.

All of these members leave the department with the best wishes of their associates.

### II. RESIGNATION

The resignation of the following named member became effective 0800 hours, November 20, 1985:

Fire Alarm Operator John J. Lockhead	Fire Alarm Division
--------------------------------------	---------------------

### III. FIRE ALARM BOXES ESTABLISHED

The following numbered fire alarm boxes will be installed in the near future and company commanders shall add them to U.A.A.B. assignment cards. The circuit numbers will be announced when the boxes are installed.

15-1537	French Library 53 Marlboro St.
13-1892	St. Peters School Bldg. 290 Bowdoin St.



IV. FIRE ALARM BOXES INSTALLED

The following numbered fire alarm boxes have been installed and company commanders shall add them to their respective circuit cards:

15-1296

Market Place Center  
200 State Street  
Circuit #2

14-2514

South Street Housing Project  
125 South Street  
Circuit #17

13-1539

Emerson College  
21 Commonwealth Ave.  
Circuit #10

BY ORDER OF FIRE COMMISSIONER LEO D. STAPLETON

GENERAL ORDERS  
NO. 45

HEADQUARTERS, FIRE DEPARTMENT  
NOVEMBER 26, 1985

### I. RETIREMENT

The retirement of the following named member, in accordance with the provisions of S5, C32, G.L., will become effective 1700 hours, November 30, 1985:

Assistant Superintendent  
John P. Mahoney

Fire Alarm Division

Assistant Superintendent Mahoney was appointed to the department July 13, 1949. Assistant Superintendent Mahoney leaves the department with the best wishes of his associates.

### II. RESIGNATION

The resignation of the following named member became effective 0800 hours, November 20, 1985:

Fire Fighter Kevin B. Ellis

Ladder Company 15

### III. PROMOTION

The following named member will be promoted to Fire Lieutenant and transferred to Headquarters, effective 0800 hours, November 27, 1985:

Fire Fighter James F. Borden

Ladder Company 24

### IV. TRANSFERS

The following named members will be transferred, effective 0800 hours, November 30, 1985:

Fire Lieutenant

Hubert J. McGrath

Ladder Co. 15

to

Engine Co. 8

Fire Lieutenant

Francis J. Cummings

Engine Co. 7

to

Engine Co. 49

### VI. CHANGE IN DESIGNATION OF FIRE ALARM BOX

The following designation should be changed to read as follows:

13-5193

St. Elizabeth's Hospital, St. Joseph's Bldg.  
736 Cambridge St. (Enter from Washington St.)



## VII. FIRE ALARM BOXES ESTABLISHED

The following numbered fire alarm boxes have been established and company commanders shall add them to the U.A.A.B. assignment cards. The circuit numbers will be announced when the boxes are installed.

13-519	St. Elizabeth's Hospital, Boiler Room 736 Cambridge St. (Enter from Nevins St.)
14-519	St. Elizabeth's Hospital, Parking Garage 736 Cambridge St. (Enter from Nevins St.)
15-519	St. Elizabeth's Hospital, Service Bldg. 736 Cambridge St. (Enter from Nevins St.)
21-5193	St. Elizabeth's Hospital, Doctors Residence 736 Cambridge St. (Enter from Washington St.)

BY ORDER OF FIRE COMMISSIONER LEO D. STAPLETON

GENERAL ORDERS  
NO. 46

HEADQUARTERS, FIRE DEPARTMENT  
DECEMBER 9, 1985

### I. RESIGNATION

The resignation of the following named member became effective 0800 hours, December 2, 1985:

Fire Fighter Ellis Smalls

Engine Company 56

### III. TRANSFER

The following named member has been transferred, effective 0800 hours, December 4, 1985:

Fire Lieutenant

Eugene E. McDevitt

Engine Company 16 to Pers./Medical

### IV. FIRE ALARM BOXES INSTALLED

The following numbered fire alarm boxes have been installed and company commanders shall add them to their respective circuit cards:

12-5264	Harvard View Office Bldg. 230 Western Ave. Circuit #14
12-1538	John Hancock-Berkeley Bldg. 200 Berkeley St. Circuit #2
12-1495	Tai Tung Village - Bldg. A 230 Harrison Ave. Circuit #70
13-1495	Tai Tung Village - Bldg. C 254 Harrison Ave. Circuit #70
17-751	Boston Design Center Boston Marine Ind. Park Bldg. 114 - Sec. F 660 Summer St. Circuit #92



## V. CHANGE IN DESIGNATION OF FIRE ALARM BOXES

The following numbered fire alarm boxes have been changed to read as follows:

12-7122	World Trade Center 164 Northern Ave. (Lower Level)
13-7122	World Trade Center 164 Northern Ave. (Upper Level off Viaduct)
14-7122	Massport Apron & Commonwealth Pier 164 Northern Ave.

Company commanders shall make the above numbered changes on U.A.A.B. assignment cards.

## VI. FIRE ALARM BOXES DISCONTINUED

The following numbered fire alarm boxes have been removed from service:

15-7122	Commonwealth Pier Upper Level, East Sec.
16-7122	Commonwealth Pier Upper Level, Center Sec. Concourse
17-7122	Commonwealth Pier Upper Level, West Sec.

BY ORDER OF FIRE COMMISSIONER LEO D. STAPLETON

### I. RETIREMENT

The retirement of the following named member, in accordance with the provisions of Section 7, C32, G.L., subject to the provisions of Section 8, C32, G.L., will become effective 0800 hours, January 1, 1986:

Fire Fighter

Bernard E. McEachern

Ladder Company 16

Fire Fighter McEachern was appointed to the department September 27, 1972. Fire Fighter McEachern leaves the department with the best wishes of his associates.

### II. FIRE ALARM BOX INSTALLED

The following numbered fire alarm box has been installed and company commanders shall add it to circuit card #43:

Box 12-4217

Anchorage Apartments, Building #103  
Charlestown Navy Yard

### III. FIRE ALARM BOXES ESTABLISHED

The following numbered fire alarm boxes will be installed in the near future and company commanders shall add these boxes to U.A.A.B. assignment cards. The circuit numbers will be announced when the boxes are installed.

Box 14-1332

WNEV T.V. Seven  
7 Bullfinch Place

Box 13-281

Parkway Boys & Girls Club  
1716 Centre St.

### IV. HIGH COMMENDATIONS

Arson Inspectors Robert M. Shaw and Francis X. Donlon are highly commended for their dedication to duty which resulted in the apprehension of three individuals involved in arson fires.

One individual has been adjudged guilty of eleven counts of arson and two counts of attempted arson. The other two individuals were remanded to the custody of the court for burning of a school. Most of the fires that resulted in these apprehensions were multiple alarm fires that endangered fire fighters and citizens and in some cases threatened entire neighborhoods.

Because their action has eliminated those threats to the communities and reflects much credit to themselves and the Arson Squad of this department, the Fire Commissioner is pleased to commend Arson Inspectors Robert M. Shaw and Francis X. Donlan and refers their case to the Board of Merit for further consideration.



## HIGH COMMENDATIONS CONTINUED

At 2342 hours on October 28, 1985, Ladder Company 4 responded to Box 1671 for a Working Fire at 425 Shawmut Avenue.

Upon arrival, heavy smoke was visible from all floors and members informed of people possibly trapped on the third floor.

Ladder Company 4 immediately raised their aerial to the third floor window. Fire Fighter Francis J. Mahoney, Jr., ascended the ladder, cleared out the window, and entered the smoke filled room and conducted a search on hands and knees. He found an infant in a crib which he picked up and carried to the window where he met Fire Fighter William Pero, Ladder Company 4, and handed the infant to him and returned to continue his search. He then came upon a woman overcome on the floor. He carried the woman to safety of the third floor hall way and handed her to members advancing lines to the upper floors.

Because Fire Fighter Francis J. Mahoney, Jr., Ladder Company 4, performed these rescues at extreme personal risk, before ventilation was completed, reflecting credit to himself and this department, The Fire Commissioner is pleased to commend Fire Fighter Francis J. Mahoney, Jr. and refers his case to the Board of Merit for further consideration.

## V. COMMENDATION

On October 28, 1985, at 2342 hours, Ladder Company 4 responded to Box 1671, a working fire at 425 Shawmut Avenue.

Upon arrival and being informed of people possibly on the third floor, Ladder Company 4 immediately raised their aerial to the third floor window.

Fire Fighter William K. Pero ascended the ladder and entered the room heavily charged with smoke and heat. While searching the area, he saw Fire Fighter Francis Mahoney crawling to the window with an infant. Observing it would be difficult for Fire Fighter Mahoney to get out of the window with the baby, he climbed onto the aerial and was passed the infant. Fire Fighter Pero noted that the infant was not breathing and immediately began mouth to mouth resuscitation while descending the aerial.

Because of his assistance in this rescue and expertise in resuscitation, the Fire Commissioner is pleased to commend Fire Fighter William K. Pero of Ladder Company 4 and makes this commendation a part of his personnel record.

BY ORDER OF FIRE COMMISSIONER LEO D. STAPLETON



I. TRANSFERS

The following named members will be transferred, effective 0800 hours, January 4, 1986:

Fire Lieutenant				
George W. Bishop	Engine Co. 4	to	Engine Co. 7	
Fire Lieutenant				
Nicholas R. Tranghese	Headquarters	to	Ladder Co. 15	
Fire Fighter				
Daniel T. McHugh	Engine Co. 55	to	Pers./Medical	
Fire Fighter				
James J. Curtin	Engine Co. 50	to	Pers./Medical	

II. FIRE ALARM BOX INSTALLED

The following numbered fire alarm box has been installed and company commanders shall add it to circuit card #7:

Box 14-1565      Garrison Condominiums  
8 Garrison Street

III. FIRE ALARM BOX ESTABLISHED

The following numbered fire alarm box will be installed in the near future and company commanders shall add it to the appropriate UAAB assignment card:

Box 12-3832      Knights Cotton Mill  
1608 River Street

The circuit number will be announced when the box is installed.

BY ORDER OF ACTING FIRE COMMISSIONER ROBERT J. HAMILTON