

GENERAL ORDER
NO. 35

HEADQUARTERS, FIRE DEPARTMENT
JULY 14, 1988

I. RETIREMENT

The retirement of the following named member, in accordance with the provisions of Section 5, C32, G.L., became effective 1700 hours July 6, 1988:

Fire Fighter	
Robert F. Murphy	Ladder Company 14

Fire Fighter Murphy was appointed to the department March 26, 1947. Fire Fighter Murphy leaves the department with the best wishes of his associates.

II. PROMOTIONS TO FIRE CAPTAIN

The following named members have been promoted to Fire Captain and transferred to Headquarters, effective 0800 hours, July 11, 1988:

Fire Lieutenant	
James M. Morrison	Engine Company 10
Fire Lieutenant	
Hugh J. Duffy	Engine Company 3

III. PROMOTIONS TO FIRE LIEUTENANT

The following named members have been promoted to Fire Lieutenant and transferred to Headquarters, effective 0800 hours, July 11, 1988:

Fire Fighter (Aide to Dep. Fire Chief)	
Joseph L. Driscoll	Engine Company 10
Fire Fighter	
Kevin M. Kelley	Engine Company 10
Fire Fighter	
James D. Bruynell	Engine Company 42

IV. TRANSFERS

The transfer of the following named member became effective 0800 hours, July 1, 1988:

Fire Fighter (Aide to Fire Comm.)	
John A. Rushton	Planning & Logistics to Headquarters

The transfer of the following named member became effective 0800 hours, July 13, 1988:

Fire Fighter	
Robert L. Biggs	Engine Company 7 to Ladder Co. 24

VI. CHANGES IN DESIGNATION OF FIRE ALARM BOXES

The designations of the following numbered fire alarm boxes have been changed to read as follows:

- 12-1332 John F. Kennedy Federal Office Building, Lo-Rise,
55 New Sudbury St
- 13-1332 John F. Kennedy Federal Office Building, Hi-Rise,
15 New Sudbury St
- 12-1571 Muriel S. Snowden,
International School at Copley, 150 Newbury St
- 13-2948 Stony Brook Condominiums, 14 Heron St
- 12-3832 Knights Cotton Mill Apartments, 1608 River St
- 13-3834 Howden Sirocco Inc, Sturtevant Div, 25 Damon St
- 13-4133 Bunker Hill Community College, Harold E. Shively
Administration Building, 286 Rutherford Av
- 12-5422 Boston Carpenters Apprentice Fund, Training Center,
Rear 387 Market St

VII. FIRE ALARM BOX INSTALLED

The following numbered fire alarm boxes have been installed on the following circuits:

- 13-1423 Office Building
101 Federal Street
Circuit #10
- 12-1671 Shared Housing
35-36 West Newton Street
Circuit #36

VIII. COMMENDATION

The Fire Commissioner is pleased to commend Fire Fighter Eugene Marsters, Engine Company 2, for assisting at Box 1743, 4 alarms, on June 20, 1988, while off duty, and makes this commendation a part of his personnel folder.

BY ORDER OF ACTING FIRE COMMISSIONER JOHN D. WHITE

GENERAL ORDER
NO. 37

HEADQUARTERS, FIRE DEPARTMENT
JULY 28, 1988

I. RETIREMENTS

The retirements of the following named members, in accordance with the dates and provisions indicated, are hereby announced:

			<u>1700 hours</u>
District Fire Chief			
John L. Campbell	District 10	S5,C32,G.L.	7.31.88
Fire Captain			
John J. Feeney	Pers./Med.	S5,C32,G.L.	7.06.88
Fire Lieutenant			
Michael J. Nee	Fire Brigade	S5,C32,G.L.	7.31.88
Foreman of Inside Wiremen			
Hubert J. Curley	Fire Alarm Div.	S5,C32,G.L.	7.31.88
Inside Wireman			
Robert S. Pedersen	Fire Alarm Div.	S5,C32,G.L.	7.31.88

District Fire Chief Campbell was appointed to the department February 18, 1948, promoted to Fire Lieutenant January 27, 1954, promoted to Fire Captain June 1, 1966 and promoted to District Fire Chief March 4, 1970. Fire Captain Feeney was appointed July 2, 1947, promoted to Fire Lieutenant October 18, 1966 and promoted to Fire Captain October 27, 1971. Fire Lieutenant Nee was appointed January 22, 1947 and promoted to Fire Lieutenant February 2, 1972. Foreman of Inside Wiremen Curley was appointed May 1, 1957 and promoted to Foreman of Inside Wiremen March 6, 1985. Inside Wireman Pedersen was appointed September 14, 1983. All of these men leave the department with the best wishes of their associates.

II. RESIGNATION

The resignation of the following named member will become effective 1700 hours, July 31, 1988:

Principal Fire Alarm Operator
Henry W. Murphy

Fire Alarm Division

IV. FIRE ALARM BOXES DISCONTINUED

The following numbered fire alarm boxes have been removed from service. Company commanders shall remove and discard the numbered running cards.

12-2311, 13-2311, 12-3585

V. CHANGES IN DESIGNATION

Company commanders shall change the following numbered fire alarm boxes to read:

- 12-1533 Emerson College, Library Building, 148-150 Beacon St
- 14-1537 Emerson College, Abbott Hall, Classroom Building, 303 Berkeley St
- 16-1537 Emerson College, Dormitory Building, Zero Marlborough St
- 13-1539 Emerson College, Classroom Building, 21 Commonwealth Av
- 12-1584 Emerson College, Gov Ames Mansion, Administrative Offices, 355 Commonwealth Av
- 13-1584 Windsor Place Condominiums, 390 Commonwealth Av
- 12-1588 Emerson College, Dormitory Building, 4 Charlesgate East
- 13-235 Emmanuel College, Marian Hall Science Lab & Gym Bldg, 400 Fenway
- 15-235 Emmanuel College, St Ann's Hall, Dormitory, 400 Fenway
- 16-235 Emmanuel College, Building & Grounds Office, 400 Fenway
- 18-235 Emmanuel College, St Joseph's Hall, Dormitory, 400 Fenway
- 15-2352 Beth Israel Hospital, Office & Research Building, 41 Ave Louis Pasteur
- 16-2352 Emmanuel College, Cardinal Cushing Library, 380 Fenway
- 13-3585 Mattapan Chronic Disease Hospital Complex, 249 River St, Note: Master Box in Foley Bldg
- 12-4228 Basilica Townhouses, Apartment Building, 106 Thirteenth St
- 13-5114 The Atrium on Commonwealth, Apartment Building, 1079-1089 Commonwealth Av
- 12-7146 U S Postal Service, Managed Mail Processing Annex, 420 E St

VI. SPECIAL RESPONSE

The following numbered fire alarm boxes have been designated as special response boxes. Company commanders shall make the required changes on the running cards.

12-5371, 13-5371

VII. TRANSFERS

The transfers of the following named members will become effective 0800 hours, July 30, 1988:

District Fire Chief			
Arthur E. Perkins, Jr.	Headquarters	to	District 3
Fire Captain			
Joseph M. Fleming	Headquarters	to	Ladder Co. 26
Fire Captain			
John J. McKenna	P & L Division	to	Headquarters
Fire Lieutenant			
Charles W. Bellew	Fire Prev.Div.	to	Engine Co. 29
Fire Lieutenant			
Kevin G. Flaherty	Headquarters	to	Engine Co. 30
Fire Lieutenant			
Timothy F. McGillicuddy	Lad. Co. 7-Gr.3	to	Lad. Co. 7-Gr.1
Fire Lieutenant			
Paul E. Landry	Engine Co. 32	to	Pers./Medical
Fire Lieutenant			
Edward Monkewicz	Engine Co. 56	to	Pers./Medical
Fire Lieutenant			
Edward C. Donovan, Jr.	Ladder Co. 18	to	Fire Brigade
Fire Fighter			
David J. Cushing	Engine Co. 5	to	Engine Co. 20
Fire Fighter			
Robert M. Staunton	Ladder Co. 6	to	Engine Co. 21
Fire Fighter			
Charles T. Khoury	Engine Co. 56	to	Engine Co. 30
Fire Fighter			
Don V. Twiggs	Engine Co. 5	to	Engine Co. 37
Fire Fighter			
Douglas E. Bell	Engine Co. 41	to	Engine Co. 39
Fire Fighter			
John P. Hillery	Ladder Co. 10	to	Engine Co. 55
Fire Fighter			
James J. Tucker	Engine Co. 48	to	Ladder Co. 28
Fire Fighter			
Ronald Ostiguy	Engine Co. 9	to	Marine Unit
Fire Fighter			
Stephen Harrington	Pers./Medical	to	Personnel Div.
Fire Fighter			
Marvin E. Allen	Ladder Co. 18	to	Pers./Medical

VIII. HIGH COMMENDATION

On June 30, 1988, at approximately 1215 hours, Superintendent of Maintenance Dennis B. Flynn observed from his office an unknown male taking articles from a 1987 Ford Ranger in a parking lot adjacent to 911 Mass. Avenue, who then fled on Mass. Avenue in the direction of the Boston City Hospital.

Superintendent Flynn immediately chased and caught the suspect on Mass. Avenue. He subdued the suspect and held him to the ground until the arrival of Boston Police who had been summoned by Fire Fighter Joseph Connell. Superintendent Flynn suffered facial injuries during the struggle with the suspect and was taken to the Boston City Hospital for medical attention. The property was returned to the owner by the Boston Police and the suspect was taken into custody at Area B. Superintendent Flynn was treated and released at Boston City Hospital and relieved from duty by the Department Medical Examiner for the injuries he sustained.

This act was performed with great effort and personal risk, without the benefit of knowing whether the suspect was armed or not, and before the arrival of the Boston Police. Because of his quick, aggressive actions, without regard for his own personal safety, reflecting great credit upon himself and the Boston Fire Department, the Fire Commissioner is pleased to highly commend Superintendent of Maintenance Dennis B. Flynn for his actions and refers his case to the Board of Merit for further consideration.

IX. COMMENDATIONS

On July 26, 1988, Rescue Company 1 responded to 451 D Street, District 6, Incident #27419, on report of a body within a narrow sump-pump well.

Because the recovery of the victim was made under extremely difficult conditions and performed in an expert manner, while part of a police investigation, the Fire Commissioner is pleased to commend the following members and makes these commendations a part of their personnel folder:

Fire Lieutenant Robert J. Counihan	Rescue Company 1
Fire Fighter Anthony J. O'Brien	Rescue Company 1
Fire Fighter Leo P. Hughes	Rescue Company 1
Fire Fighter Robert Wong	Rescue Company 1
Fire Fighter Don E. Cuddahy	Tower Company
(detailed to Rescue Co. 1)	
Fire Fighter Steven T. Langone	Engine Company 39
	(Aide to District 6)

The Fire Commissioner is pleased to commend Acting District Fire Chief George F. McCafferty, Engine Company 16, District 8, Fire Fighter (Aide to District Fire Chief) Edward D. Milchunes, Engine Company 16, Fire Lieutenant Inspector Henry T. Hickey, Fire Fighter Inspector Paul Hicks and Fire Fighter Inspector John J. O'Sullivan, Jr., of the Arson Investigation Unit, Fire Prevention Division, for their diligence, determination and dedication to duty at Incident #25617, on July 8, 1988, in searching out, apprehending and forcibly subduing a dangerous person, with consequent arrest for arson, and makes these commendations a part of their personnel folder.

BY ORDER OF FIRE COMMISSIONER LEO D. STAPLETON

GENERAL ORDER
NO. 40

HEADQUARTERS, FIRE DEPARTMENT
AUGUST 15, 1988

I. RETIREMENT

The retirement of the following named member, in accordance with the provision of Section 5, C32, G.L., will become effective at 1700 hours, August 15, 1988:

Fire Lieutenant

Joseph J. Donovan Training, Maintenance & Research Div.

Fire Lieutenant Donovan was appointed to the department January 28, 1953 and promoted to Fire Lieutenant on September 4, 1963.

Fire Lieutenant Donovan leaves the department with the best wishes of his associates.

II. RESIGNATION

The resignation of the following named member became effective 0800 hours, August 4, 1988:

Fire Lieutenant Richard F. Berrio Engine Company 33

III. PROMOTION TO DISTRICT FIRE CHIEF

The following named member was promoted to District Fire Chief and transferred to Headquarters, effective 0800 hours, August 3, 1988:

Fire Captain

Stephen K. Dunbar Ladder Company 17

IV. PROMOTION TO FIRE CAPTAIN

The following named member was promoted to Fire Captain and transferred to Headquarters, effective 0800 hours, August 3, 1988:

Fire Lieutenant

Paul F. Mahoney Ladder Company 2

V. PROMOTIONS TO FIRE LIEUTENANT

The following named members were promoted to Fire Lieutenant and transferred to Headquarters, effective 0800 hours, August 3, 1988:

Fire Fighter

John P. Joyce Engine Company 3

Fire Fighter

Gerard J. Graul Tower Company

PROMOTIONS TO FIRE LIEUTENANT CONTINUED

The following named members will be promoted to Fire Lieutenant and transferred to Headquarters, effective 0800 hours, August 17, 1988:

Fire Fighter		
Cornelius J. Walsh		Engine Company 49
Fire Fighter		
George L. Wyman		Engine Company 55

VI. FIRE ALARM BOXES INSTALLED

The following numbered fire alarm boxes have been installed. Company commanders shall add them to their respective circuit lists.

<u>Box</u>		<u>Cir</u>
14-1254	One Faneuil Hall Square Building, One Faneuil Hall Sq	89
15-1344	Charles River Apartments, 6 Whittier Pl	5
16-1344	Charles River Apartments, 8 Whittier Pl	10
16-1573	John B. Hynes Veterans Memorial Convention Center, 900 Boylston Street	7
12-1919	Harbor Point Apartments, Low-Rise Building 16-1 20 South Point Dr	49
12-192	Harbor Point Apartments, Multi-Family Building 1-1 100 Ocean View Dr	49
12-2557	Office Building, 123 Morton St	66
12-5144	Viscomte Condominiums, 55 Brainerd Rd	51

VII. CHANGE IN DESIGNATIONS

Company commanders shall change the designations of the following numbered fire alarm boxes to read as follows:

3666	Coronado & Belnel Rds
2534	Hall & Roynton Sts
12-5144	Viscomte Condominiums, 55 Brainerd Rd

VIII. CHANGE IN RESPONSE

Effective 0800 hours, August 17, 1988, company commanders shall make the following changes to running cards for mutual aid signal 8215 (Chelsea):

to fire:	1st alarm	covering:	add	L21-CH1
	2nd alarm		drop	L21-CH1
	3rd alarm			

IX. FIRE ALARM BOXES DISCONTINUED

The following numbered fire alarm boxes have been discontinued. Company commanders shall remove and discard the numbered running cards.

12-4114, 13-4114

XI. CORRECTION

The company of the following named member, listed in General Order No. 37, Section 1, Retirements, dated July 28, 1988, should have read as follows:

Fire Captain John J. Feeney

Engine Company 7

XII. COMMENDATIONS

The Fire Commissioner is pleased to commend Fire Fighters Joseph Mullen, Engine Company 8, Edward J. Paris, Engine Company 7, Fire Fighters on Probation James R. Donovan, Ladder Company 18 and Joseph McDonough, Engine Company 7, for responding to and working at Box 7435 (3 alarms) on August 4, 1988, while off duty, and makes this commendation a part of their personnel folder.

BY ORDER OF FIRE COMMISSIONER LEO D. STAPLETON

GENERAL ORDER
NO. 42

HEADQUARTERS, FIRE DEPARTMENT
AUGUST 26, 1988

I. FIRE FIGHTER BERNARD J. KENNEDY - LADDER COMPANY 17

It is with deep regret that the Fire Commissioner announces the death on August 19, 1988 of Fire Fighter Bernard J. Kennedy, Ladder Company 17. Fire Fighter Kennedy was appointed to the department February 19, 1947.

The funeral was held from the John Reen Funeral Home, 63 Chestnut Hill Avenue, Brighton, at 0900 hours, August 23, 1988, followed by a Funeral Mass At St. Columbkilles Church, 321 Market Street, Brighton at 1000 hours.

The Fire Commissioner made the customary detail to act as funeral escort and members from Headquarters, Training, Maintenance and Research Division, Fire Prevention Division, the Rifle Honor Guard and Ladder Company 17 were excused to attend the services.

II. SPECIAL SERVICES DIVISION

Effective September 7, 1988, the Communications Division will become the Special Services Division. Deputy Fire Chief Nino N. Tramontozzi is the Division Commander. The units incorporated in the division are:

1. The Fire Alarm Office, Equipment and Activities
2. The Office of Civil Defense
3. The Planning and Logistics Section
4. Title III (SARA) Duties and Requirements
5. EMS Duties and Requirements
6. SCUBA Duties and Requirements

III. PROMOTION - PRINCIPAL FIRE ALARM OPERATOR

The following named member has been permanently promoted to Principal Fire Alarm Operator, effective 0800 hours, August 17, 1988:

Patrick M. O'Rourke Fire Alarm Division

IV. PROMOTION - SENIOR FIRE ALARM OPERATOR

The following named member has been permanently promoted to Senior Fire Alarm Operator, effective 0800 hours, August 17, 1988:

Dennis Corbett Fire Alarm Division

V. APPOINTMENT - FIRE ALARM OPERATOR

The following named member has been permanently appointed to Fire Alarm Operator, effective 0800 hours, August 17, 1988:

Edward F. Byrne Fire Alarm Division

VI. TRANSFERS

The transfers of the following named members will become effective 0800 hours, August 31, 1988:

District Fire Chief			
James E. Cosgrove	District 4	to	District 10
Fire Captain			
Brian C. O'Donnell	Engine Co. 4	to	Ladder Co. 17
Fire Lieutenant			
Stanley D. Moore	Engine Co. 4	to	Engine Co. 3
Fire Lieutenant			
Gerard F. Shea	Headquarters	to	Engine Co. 10
Fire Lieutenant			
Manuel J. Arruda	Ladder Co. 14	to	Engine Co. 32
Fire Lieutenant			
John P. Joyce	Headquarters	to	Engine Co. 56
Fire Lieutenant			
Peter A. Annunziata	Engine Co. 56	to	Ladder Co. 2
Fire Lieutenant			
William K. Pero	Ladder Co. 2	to	Ladder Co. 7
Fire Lieutenant			
Walter T. LaRosa	Engine Co. 16	to	Ladder Co. 18
Fire Fighter			
Thomas J. McDonough	Engine Co. 50	to	Pers./Med.
Fire Fighter			
George E. Howard	Ladder Co. 2	to	Engine Co. 9
Fire Fighter			
Robert J. Wieners	Engine Co. 8	to	Engine Co. 20
Fire Fighter			
William T. Connors	Rescue Co. 1	to	Engine Co. 10
Fire Fighter			
George A. Almeida	Engine Co. 30	to	Engine Co. 56
Fire Fighter			
Robert D. Toland	Ladder Co. 25	to	Ladder Co. 6
Fire Fighter			
Richard T. Doyle	Engine Co. 28	to	Ladder Co. 10
Fire Fighter			
Claude Brown	Engine Co. 29	to	Rescue Co. 1
Fire Fighter			
William Burns	Engine Co. 7	to	Engine Co. 55 (Aide to D-10)

The transfers of the following named members will become effective 0800 hours, September 7, 1988:

District Fire Chief			
Robert E. Laing	Fire Prevention (Fire Invest. Unit)	to	Special Services Division (P&L))
District Fire Chief			
Howard C. Ferguson	District 11	to	Fire Prev. Div. (Fire Invest. Unit)

VII. RESIGNATION

The resignation of the following named member became effective 0800 hours, August 26, 1988:

Fire Fighter Rodney W. Brooks

Engine Company 7

VIII. CHANGE IN RESPONSE

Effective 0800 hours August 29, 1988 company commanders shall make the following changes to the numbered running cards:

Boxes 5371, 12-5371, 13-5371, 14-5371, 15-5371, 5372, 12-5372, 13-5372, 5374, 12-5374, 13-5374

1st alarm to fire drop NW E1 add NW E6
6th alarm covering drop NW E6-51 add NW E2-51

Signal 8217 (Mutual Aid to Somerville)
To fire 2nd alarm drop D4 add D1

IX. FIRE ALARM BOXES ESTABLISHED

The following numbered fire alarm boxes will be established, effective 0800 hours August 29, 1988, and will be installed in the near future. Company commanders shall insert the running cards issued with this order in their proper sequence.

12-1572	Grant-Hoffman Office Building, 745 Boylston St
12-1632	City Lights Building, 1154-1160 Washington St
12-1914	Harbor Point Apartments, Building 22-1, 96 Westwind Rd
12-2114	Gilmore/Vines Building, 801 Albany St
13-2178	Cass House, Housing for the Elderly, 140 Humbolt Av
15- 531	Terrace Motor Lodge, 1650 Commonwealth Av
537	Beacon St at Newton Line
12- 537	Boston College, Sports Complex, 2601 Beacon St
6311	Deer Island, Sewerage Treatment Plant
12-7236	John Boyle O'Reilly, Housing for the Elderly, 345 Dorchester St

X. FIRE ALARM BOX INSTALLED

The following numbered fire alarm box has been installed. Company commanders shall add it to their respective circuit lists.

Circuit

Box 12-7236	John Boyle O'Reilly, Housing for the Elderly,	1
	345 Dorchester St	

XI. FIRE ALARM BOX DISCONTINUED

The following numbered fire alarm boxes have been discontinued. Company commanders shall remove and discard the numbered running cards.

Boxes 12-5113, 12-7164

XII. CHANGE IN DESIGNATION

Company commanders shall change the designation of the following numbered fire alarm box to read:

631 Deer Island, House of Correction

XIII. HIGH COMMENDATION

On July 9, 1988, at approximately 2050 hours, Fire Fighter (Inspector) Isaac Hendricks of the Fire Prevention Division heard a commotion outside his home. He observed two male teenagers leaving a side yard saying they had been stabbed. One was staggering and bleeding profusely.

Fire Fighter Hendricks immediately grabbed towels and ran outside to administer first aid; his wife called 911 to summon help. Without regard for the dangers of infectious disease or attack from assailants who did not immediately flee the area, Fire Fighter Hendricks applied direct pressure to the severe wounds in an attempt to stop the hemorrhaging.

He was relieved by Engine Company 42 and Rescue Company 2. He did not have the benefit of rubber gloves and his hands were quickly soaked with the victim's blood and other bodily fluids..

This act was performed with great personal risk as he exposed himself to the possibilities of infectious disease and assault. Because of his quick, aggressive actions and without regard for his own personal safety in a life threatening situation, reflecting great credit upon himself and the Boston Fire Department, the Fire Commissioner is pleased to highly commend Fire Fighter (Inspector) Isaac R. Hendricks and refers his case to the Board of Merit for further consideration.

XIV. COMMENDATIONS

The Fire Commissioner is pleased to commend Fire Fighter (Senior Man) Steven G. Mortlock, Fire Fighters Richard L. Besse and Stephen J. Byrne, of Ladder Company 4, for their assistance in the successful birth of a baby on August 5, 1988, 1102 hours, incident #29534, 40 Parker Hill Avenue, and makes this commendation a part of their personnel folder.

BY ORDER OF FIRE COMMISSIONER LEO D. STAPLETON

GENERAL ORDER
NO. 44

HEADQUARTERS, FIRE DEPARTMENT
SEPTEMBER 16, 1988

I. RETIREMENT

The retirement of the following named member, in accordance with the provisions of S7-94, C 32, G.L., will become effective 1700 hours, September 30, 1988:

— Fire Lieutenant
John J. Kilroy

Personnel/Medical

Fire Lieutenant Kilroy was appointed to the department July 17, 1974 and promoted to Fire Lieutenant September 14, 1983.

Fire Lieutenant Kilroy leaves the department with the best wishes of his associates.

II. FIRE ALARM BOXES ESTABLISHED

The following numbered fire alarm boxes will be established, effective 0800 hours, September 19, 1988 and will be installed in the near future. Company commanders shall insert the running cards issued with this order in their proper sequence.

16-1283	Thirty Batterymarch Trust, 30 Batterymarch St
12-1285	Custom House Towers, 54-62 Broad St
15-1286	Custom House Towers, 49 India St
12-1432	Office Building, 11 Edinboro St
12-1433	Chinese Economic Development Council, 31 Beech St
12-1523	Tremont Village, 327-351 Tremont St
12-4224	Sixty-Two Thirteenth St Building, 62 Thirteenth St
5227	Harvard Univ, Business School, Gordon Dr at Harvard Way
5228	Harvard Univ, Business School, Soldiers Field Park, (111 Western Av)
5229	Harvard Univ, Business School, Gordon Dr at Tennis Courts

III. FIRE ALARM BOXES INSTALLED

The following numbered fire alarm boxes have been installed. Company commanders shall add them to their respective circuit lists.

	<u>Circuit</u>
12-1572	47
12-1918	49
13-1918	49
13-2373	66
16-2484	87
12-2592	25
12-3626	79
12-5144	51
5227	21
12-537	45

IV. FIRE ALARM BOX DISCONTINUED

The following numbered fire alarm boxes have been discontinued. Company commanders shall remove and discard the numbered running cards.

Boxes 13-1334, 12-2313, 12-5225

V. CHANGE IN DESIGNATION

Company commanders shall change the designation of the following numbered fire alarm boxes to read as follows:

12-1491	Tufts Univ, Sackler School of Graduate Biomedical Sciences, 118-146 Harrison Av
	"University of Mass at Boston, Harbor Campus"
15-182	Building 150, Service and Supply Building
16-182	Building 110, Quinn Administration Building
17-182	Building 190, Healy Library Building
18-182	Building 160, Utility Building
19-182	Building 020, McCormack Building
21-182	Building 080, Science Building
23-182	Building 010, Wheatley Building
24-182	Building 120, Clark Athletic Center
13-2373	Parker Hill Health Center, 53 Parker Hill Av
(5221	Western Av at 125
16-7115	N.E.T. & T. Training Center, 320 Congress St

VI. COMPENSATION

The payment of compensation to the following named personnel was discontinued on August 31, 1988:

Paul D. Malone	Engine Company 24
Philip D. Malone	Ladder Company 23

BY ORDER OF ACTING FIRE COMMISSIONER JOHN D. WHITE

GENERAL ORDER
NO. 45

HEADQUARTERS, FIRE DEPARTMENT
SEPTEMBER 23, 1988

I. TRANSFERS

The transfers of the following named members will become effective at 0800 hours, September 28, 1988:

District Fire Chief John E. Conway	District 3	to	District 11
District Fire Chief John M. Flynn	Headquarters	to	District 4
Fire Captain John T. Coppney	Headquarters	to	Engine Co. 4
Fire Lieutenant James H. Clark	Headquarters	to	Engine Co. 4
Fire Lieutenant Donald R. Mullen	Engine Co. 3	to	Engine Co. 16
Fire Lieutenant Leo K. Mahoney	Headquarters	to	Engine Co. 33
Fire Lieutenant Paul R. Finn	Headquarters	to	Engine Co. 56
Fire Lieutenant Kevin M. Kelley	Headquarters	to	Ladder Co. 2
Fire Lieutenant Thomas E. Holt	Headquarters	to	Ladder Co. 14
Fire Fighter William D. Trojano	Ladder Co. 11	to	Engine Co. 8
Fire Fighter Joseph G. McNulty	Engine Co. 10	to	Engine Co. 28
Fire Fighter James A. Meehan	Engine Co. 20	to	Engine Co. 30
Fire Fighter Elgin F. Lynds	Engine Co. 20	to	Engine Co. 49
Fire Fighter Wayne M. Johnson	Engine Co. 7	to	Engine Co. 49
Fire Fighter Steven B. Teixeira	Engine Co. 9	to	Engine Co. 50
Fire Fighter Francis J. Tierney	Engine Co. 33	to	Rescue Co. 1
Fire Fighter Ricardo A. Guity	Ladder Co. 16	to	Ladder Co. 25
Fire Fighter William R. MacDonald	Ladder Co. 29	to	Engine Co. 7
Fire Fighter John J. Nee	Engine Co. 7	to	Fire Brigade
Fire Fighter Stephen J. Cloonan	Engine Co. 24	to	Engine Co. 10
Fire Fighter William E. Doe	Engine Co. 32	to	Pers./Medical
Fire Fighter Paul F. Hourihan	Ladder Co. 29	to	Pers./Medical
Fire Fighter Frank C. LaCortiglia	Engine Co. 9	to	Fire Prev. Div.

II. CHANGE IN DESIGNATION OF FIRE ALARM BOXES

Company commanders shall change the designation of the following numbered fire alarm boxes to read as follows:

13-1286 One McKinley Sq Office Building (20 India St)
14-1286 Jenney Building, 75 Central St
12-1376 Lincolnshire Building, 15 River St
12-1385 Harbridge House, 11-12 Arlington St
12-1437 Plymouth Rock Building, 695 Atlantic Av
13-1533 Emerson College, Division of Mass Communications,
126-130 Beacon St
12-1671 West Newton House, 35-36 West Newton St
12-177 St. Kevin's Church, 510-520 Columbia Rd
12-1823 Edison Green Housing For The Elderly, 907-921
Dorchester Av
16-191 Bayside Merchandise Mall, 150-160 Mt Vernon St
12-2179 Crispus Attuck's Children Center, 101 Crawford St
15-2883 Liberty Mutual Building, 1208 V F W Pkway
12-2948 Stony Brook Terrace, 14 Heron St
12-4124 City Square Housing For The Elderly, 42 Park St
12-4214 Building 36, Old Ironsides, First Av & Eighth St
12-4216 Building 33, 50 Third Av
13-712 Summer Street South Office Building, 425 Summer St

III. TERMINATION

The termination of the following named member became effective 0800 hours, September 21, 1988:

Fire Fighter on Probation Joseph Biddy Engine Company 5

V. COMMENDATIONS

The Fire Commissioner is pleased to commend Fire Lieutenant James F. Borden, Fire Fighters Gerald F. Sparrow, Robert L. Biggs, of Ladder Company 24 and Richard E. Brooks, Aide to District Three Fire Chief, for their professionalism and dedication to duty in the rescue of two persons under heavy smoke conditions while operating at Box 1366 on August 24, 1988, 0348 hours, 55 West Cedar Street and makes this commendation a part of their personnel folder.

BY ORDER OF ACTING FIRE COMMISSIONER JOHN E. CLOUGHERTY

GENERAL ORDER
NO. 49

HEADQUARTERS, FIRE DEPARTMENT
OCTOBER 6, 1988

I. RETIREMENT

The retirement of the following named member, in accordance with the provisions of Section 5, C32, G. L., became effective 1700 hours, September 29, 1988:

Fire Lieutenant
Paul J. Hastings Ladder Company 1

Fire Lieutenant Hastings was appointed to the department May 3, 1950 and promoted to Fire Lieutenant September 9, 1970.

Fire Lieutenant Hastings leaves the department with the best wishes of his associates.

II. RESIGNATION

The resignation of the following named member became effective 0800 hours, September 23, 1988:

Fire Fighter James W. Dunne Special Services Division

III. PROMOTIONS TO FIRE LIEUTENANT

The following named members have been promoted to Fire Lieutenant and transferred to Headquarters, effective 0800 hours, Wednesday, October 5, 1988:

Fire Fighter Joseph E. Finn Ladder Company 10
Fire Fighter Henry J. Sheridan Ladder Company 23

IV. PROMOTION - PRINCIPAL FIRE ALARM OPERATOR

The following named member has been temporarily promoted after certification to Principal Fire Alarm Operator, effective 0800 hours, September 28, 1988:

Walter P. Freiwald Special Services Division

V. PROMOTION - SENIOR FIRE ALARM OPERATOR

The following named member has been temporarily promoted after certification to Senior Fire Alarm Operator, effective 0800 hours, September 28, 1988:

John G. Smiddy Special Services Division

VI. CHANGE IN DESIGNATION OF FIRE ALARM BOXES

Company commanders shall change the designation of the following numbered fire alarm boxes to read as follows:

12-1285 Custom House Tower's Office Building, 54-62 Broad St
15-1286 Custom House Tower's Office Building, 49 India St

VIF. FIRE ALARM BOXES ESTABLISHED

The following numbered fire alarm boxes will be established, effective 0800 hours, October 8, 1988 and will be installed in the near future. Company commanders shall insert the running cards issued with this order in their proper sequence.

12-2364 Huntington Apartments, 706-712 Huntington Av
15-4183 MBTA Heavy Maintenance Facility, 21 Arlington Av

VIII. FIRE ALARM BOXES INSTALLED

The following numbered fire alarm boxes have been installed. Company commanders shall add them to their respective circuit lists.

<u>BOX</u>	<u>CIRCUIT</u>
15-1286	2
14-1281	3
12-1582	61
12-2364	90
13-2538	52

IX. CORRECTION TO GENERAL ORDERS

Box 12-2948, as listed in General Order #45, 1988, page 2, Section II, should have read 13-2948.

X. HIGH COMMENDATION

While on duty the night tour of July 14, 1988, Fire Fighters Robert T. Lynch and William G. Austin of Engine Company 17 observed three persons in the act of breaking into a motor vehicle on Parish Street opposite Engine 17 quarters.

Without hesitation both members approached the vehicle causing two of the persons to flee. Fire Fighters Lynch and Austin apprehended the third person as he attempted to flee after exiting the vehicle. They subdued the suspect and brought him to Engine 17 quarters until the arrival of Area C Police.

Because this act was performed with great personal risk and without regard for their own safety, reflecting credit on themselves and the department, the Fire Commissioner is pleased to highly commend Fire Fighters Robert T. Lynch and William G. Austin of Engine Company 17 and refers their case to the Board of Merit for further consideration.

XI. COMMENDATIONS

Fire Captain John J. McKenna, Headquarters, is hereby commended for producing Standard Operating Procedure No. 55 which was issued on October 1, 1988.

This unique document, which is the most comprehensive one of its kind in the country, will serve to increase the safety of all personnel and the efficiency of the services we provide to the citizens.

On September 1, 1988, Engine Company 22 responded to Tremont and Aguadilla Streets, incident #33281. Upon arrival Fire Fighter Harry Alicea of Engine Company 22, while off duty, was observed administering life saving first aid to a stabbing victim.

Without regard for his own personal safety and without the use of protective gloves, he applied direct pressure with a towel to the wounded area while taking the proper steps in helping the victim from entering into shock. Engine Company 22 assisted until arrival of the ambulance.

The Fire Commissioner is pleased to commend Fire Fighter Harry O. Alicea and makes this commendation a part of his personnel folder.

BY ORDER OF FIRE COMMISSIONER LEO D. STAPLETON

GENERAL ORDER
NO. 50

HEADQUARTERS, FIRE DEPARTMENT
OCTOBER 7, 1988

I. FIRE PREVENTION WEEK

Fire Prevention Week will be observed in the City of Boston from October 9 to October 15, 1988, inclusive.

During Fire Prevention Week, company officers and all members shall review the Smoke Detector Laws so that people visiting the fire houses can get the correct answers to Smoke Detector Laws.

Fire stations shall be open to the public between the hours of 1200 and 2000 hours for inspection of the premises and for the conveyance of information concerning the fire department functions and fire prevention matters. When citizens come to a station during Fire Prevention Week, the man on house patrol shall summon the commanding officer who should be available and ready to either show the visitors around the station and to answer the questions regarding the department, or to have a suitable person assigned to this duty.

The officer in charge of quarters shall see that the Fire Prevention Week plywood sign issued to all stations is displayed during this week. It is the responsibility of company officers to see to it that these signs are kept in good condition from year to year. Signs should be displayed from Sunday to Saturday. Signs shall be checked daily by the officer in charge of quarters to assure that they are firmly affixed to the building in a proper manner.

District Fire Chiefs are directed to take an active interest in Fire Prevention Programs in the following manner:

By making arrangements with the various plants and industrial enterprises within the district to hold fire drills during the week, by grading these drills as good, fair, or poor and making a report of same to the Fire Prevention Division, indicating the name of the enterprise, the date of the drill and the grade. Same should be forwarded promptly. Each concern should be requested to acknowledge participation in Fire Prevention Week activities via written correspondence. These drills should be conducted by a company officer after arrangements are made. At plants where there are special or company fire brigades, particular attention should be given to assignments and/or response procedures. It is requested that the name of the company officer conducting the drill be furnished. It is anticipated that not less than three drills be conducted in each district.

Company officers will contact school officials in the schools in their sub-district and make arrangements to hold the required fire exit drills during Fire Prevention Week, if feasible. The fire exit drill shall be so arranged that it will be held prior to the end of the school day.

The District Fire Chief should compile a list of fraternal, social, civic and professional organizations within the district and advertise to them the willingness of the fire department to provide company officers for the purpose of lecturing on fire prevention at any time. District Fire Chiefs should make a concerted effort to bring the activities of the department before these organizations and arrange for lectures to be given. The name of any organization so participating should be reported to the Fire Prevention Division, specifically if the organization can be urged to forward on their own stationery a notation of the event, it would be to the greater advantage of the fire department.

Fire fighters are to pay special attention to the observance of fire hazards and to the duty of observing and locating fire hazards along the route followed by them in their coming to and going from daily work. All buildings being erected, demolished or significantly remodeled require permits, as do storage and use of flammable gases. Notify your District Chief and/or Fire Prevention at extension 3545. Dilapidated buildings, rubbish accumulation and other hazards should be reported in accordance with abatement procedure as outlined in S.O.P. 25. The public expects uniformed members of the fire department to know something about fire prevention work and to have an interest in this subject since they are public employees engaged in this field. Fire fighters, therefore, during Fire Prevention Week, should have this subject uppermost in their minds and they should not pass a fire hazard at any time without making a note of it for reference to the Fire Prevention Division. In short, every uniformed man in the fire department is a fire prevention inspector at all times.

Company commanders, on receipt of the Fire Prevention posters, will post these items in a suitable location at the front of each fire station where they will be visible to the public. They will remain posted until October 15, 1988.

A list of all fire prevention activities and their locations will be forthcoming.

BY ORDER OF ACTING FIRE COMMISSIONER JOHN R. HARRISON

GENERAL ORDER
NO. 51

HEADQUARTERS, FIRE DEPARTMENT
OCTOBER 7, 1988

I. FIRE PREVENTION WEEK PARADE

The Fire Commissioner invites all members and their families to join in the observance of Fire Prevention Week by attending the Fire Prevention/Columbus Day Parade in East Boston, which begins at 1245 hours, Sunday October 9, 1988. The parade will form behind Suffolk Downs Parking Lot, travel Bennington Street to Chelsea Street to Meridian Street and ends about 3 1/2 miles away at Central Square. The following Boston Fire Department units will participate:

District 1
Engine Company 5
Engine Company 56
Ladder Company 2
Ladder Company 21
Tower Company
Rescue Company 1
Special Unit
Fire Investigation Unit Arson Van

Further information can be obtained by calling the Public Information Office at Fire Headquarters.

II. FIRE PREVENTION WEEK ACTIVITIES

The Boston Fire Department is engaged in a program of projecting fire prevention to the public. To assist in setting this example, it is the sincere wish of the Fire Commissioner that all members of the department support its fire prevention week activities. This may be done by advertising to your family, friends and relatives those events which are in support of this worthwhile activity and by contributing their presence whenever possible. A schedule of fire prevention activities is furnished herewith.

HOURS TUESDAY, OCTOBER 11, 1988

1100 GENERAL MAIL FACILITY, SO. POSTAL ANNEX DOOR 91

Division 1 and District 4 to act as observers of evacuation drill. Ladder 17 to raise aerial with member over ladder. Engine 7 to run short line to loading platform.

1300 CAPTAIN JOHN F. WILLIAMS FEDERAL BUILDING
408 ATLANTIC AVENUE (U.S. COAST GUARD BUILDING)

Division 1 and District 3 to act as observers of evacuation drill. Ladder 1 to raise aerial with member over ladder. Engine 8 to run short line to door.

October 7, 1988

HOURS WEDNESDAY, OCTOBER 12, 19881000 JOHN F. KENNEDY FEDERAL BUILDING
GOVERNMENT CENTER

Division 1 and District 3 to act as observers of evacuation drill. Ladder 24 to raise aerial with member over ladder. Engine 4 to run short line.

1400 U. S. POST OFFICE GARAGE, 135 A STREET

Division 1 and District 6 to act as observers of evacuation drill. Ladder 18 to raise aerial with member over ladder. Engine 39 to run short line.

FRIDAY, OCTOBER 13, 19881000 VETERAN'S ADMINISTRATION - 17 COURT STREET

Division 1 and District 3 to act as observer of evacuation drill. Ladder 24 to raise aerial with member over ladder. Engine 4 to run short line.

RESIDENTIAL SPRINKLER EXHIBITS:

The Massachusetts Fire Fighting Academy is providing their mobile residential sprinkler exhibit to the Boston Fire Department for public demonstration of automatic smoke detector and sprinkler operations.

A wastebasket fire will be set in a corner of a trailer with people seated in an adjoining room. One side of the trailer is mainly plexiglass so that the fire, smoke detector, sprinkler, people and an elapsed-time clock are visible to record the times of operations of the detector and sprinkler head. The demonstration will be narrated by M.F.F.A. instructors.

The demonstrations will be held at the following locations:

HOURS MONDAY, OCTOBER 10, 1988

1000 Faneuil Hall Marketplace

to

1400 Engine 10 will provide a charged line as a back up

TUESDAY, OCTOBER 11, 1988

1000 City Hall Plaza

to

1400 Engine 10 will provide a charged line as a back up

HOURS WEDNESDAY, OCTOBER 12, 1988

1000 Downtown Crossing on Summer Street
to
1400 Engine 10 will provide a charged line as a back up

1500 120 Ashford Street (end of Babcock Street)
to
1700 Engine 33 will provide a charged line as a back up

THURSDAY, OCTOBER 13, 1988

1000 Saltonstall Building
to
1400 Engine 10 will provide a charged line as a back up

FRIDAY, OCTOBER 14, 1988

1000 Downtown Crossing on Summer Street
to
1400 Engine 10 will provide a charged line as a back up

BY ORDER OF ACTING FIRE COMMISSIONER JOHN R. HARRISON

GENERAL ORDER
NO. 56

HEADQUARTERS, FIRE DEPARTMENT
OCTOBER 26, 1988

I. RETIREMENTS

The retirements of the following named members, in accordance with the provisions of Section 5, C32, G.L., will become effective at 1700 hours, October 31, 1988:

← District Fire Chief (Director of Civil Defense) Paul F. Cook	Planning & Logistics
← Fire Lieutenant Frederick J. Brady	Ladder Company 7
← Fire Fighter (1st Marine Engineer-Diesel) Walter J. Conley	Marine Unit

The retirement of the following named member, in accordance with the provisions of Section 7, C32, G.L., became effective at 1700 hours, October 11, 1988:

Fire Fighter David R. Cunio	Personnel/Medical
-----------------------------	-------------------

District Fire Chief (Director of Civil Defense) Cook was appointed to the department January 22, 1947, promoted to Fire Lieutenant May 1, 1957, promoted to Fire Captain October 25, 1967, promoted to District Fire Chief July 28, 1971 and appointed District Fire Chief (Director of Civil Defense) April 3, 1985. Fire Lieutenant Brady was appointed January 22, 1947 and promoted to Fire Lieutenant December 18, 1974. Fire Fighter (1st Marine Engineer-Diesel) Conley was appointed January 4, 1956 and appointed Fire Fighter (1st Marine Engineer-Diesel) October 20, 1965. Fire Fighter Cunio was appointed May 17, 1972.

All of these members leave the department with the best wishes of their associates.

II. TRANSFERS

The transfers of the following named members will become effective 0800 hours, Saturday, October 29, 1988:

District Fire Chief Paul R. O'Brien	Headquarters	to	District 3
District Fire Chief James M. Soletti	District 8	to	Headquarters
Fire Lieutenant Donald R. Mullen	Engine Co. 16	to	Engine Co. 3
Fire Lieutenant Frederick J. Brady	Pers./Medical	to	Ladder Co. 7
Fire Fighter Paul J. Minton	Ladder Co. 17	to	Engine Co. 7
Fire Fighter Anthony C. Gaston	Haz-Mat Unit	to	Engine Co. 10

TRANSFERS CONTINUED

Fire Fighter	Edward G. O'Brien	Engine Co. 3	to	Engine Co. 32
Fire Fighter	Charles I. Bennett	Ladder Co. 1	to	Engine Co. 20
Fire Fighter	Joseph R. Jackson	Engine Co. 32	to	Engine Co. 33
Fire Fighter	John P. Hillery	Engine Co. 55	to	Ladder Co. 16
Fire Fighter	Edward J. Hobin	Rescue Co. 1	to	Ladder Co. 17
Fire Fighter	Robert M. Ryan	Ladder Co. 26	to	Ladder Co. 29
Fire Fighter	Kevin A. Morton	Ladder Co. 2	to	Fire Prev. Div.
Fire Fighter	James E. Lay	Engine Co. 49	to	Pers./Medical
Fire Fighter	Eddie Rodgers	Ladder Co. 15	to	Pers./Medical
Fire Fighter	Robert C. Peterson	Engine Co. 29	to	Engine Co. 4
Fire Fighter	Stephen Harrington	Headquarters	to	Pers./Medical
Fire Fighter	George R. Kelley	Engine Co. 50	to	Engine Co. 4

III. CHANGE IN RESPONSE

Effective 0800 hours, October 28, 1988, company commanders shall make the following changes to the numbered running card:

Signal 8218

Second Alarm (Cambridge 3rd) Add Covering E 41-Ca E 6

IV. CHANGE IN DESIGNATION OF FIRE ALARM BOXES

Company commanders shall change the designation of the following numbered fire alarm boxes to read as follows:

Box 123	Sumner Tunnel
12-1235	USCG Base, Duty Office Main Entrance, 447 Commercial St.
12-1247	Mercantile Wharf Building, 71-115 New Atlantic Av
14-1254	Office Building, One Faneuil Hall Sq
14-1263	Office Building, One Beacon St
12-1271	Bank of New England, 28 State St
16-1271	U S National Park Service, 15 State St
13-1275	Shawmut Bank, 1 Federal St
14-1281	Office Building, 75 State St
12-1283	Office Building, One Liberty Sq
16-1283	Office Condominium, 30 Batterymarch St
616	Callahan Tunnel

V. FIRE ALARM BOXES ESTABLISHED

The following numbered fire alarm box will be established, effective 0800 hours, October 28, 1988 and will be installed in the near future. Company commanders shall insert the running card issued with this order in its proper sequence.

12-5127 The Allston Group, 20 Linden St

VI. COMMENDATION

On October 4, 1988, the New England Institute of Business Designers honored Fire Department Chemist Dr. Edward V. Clougherty for his professional endeavors in the development and promulgation of fire prevention regulations for furnishings and interior finish. The Boston Fire Department regulations have received national recognition.

Dr. Clougherty received a MAX Award which stands for Members Appreciation of EXcellence; the award was given in the category of BEST CONTRIBUTION TO PROFESSIONAL PRACTICES BY A NON-DESIGNER.

The Fire Commissioner is pleased to commend Dr. Edward V. Clougherty and makes this commendation a part of his personnel file.

BY ORDER OF FIRE COMMISSIONER LEO D. STAPLETON

GENERAL ORDER
NO. 59

HEADQUARTERS, FIRE DEPARTMENT
NOVEMBER 10, 1988

I. FIRE FIGHTER (SPECIAL HAZARDS INSPECTOR) THOMAS J. BURKE
FIRE PREVENTION DIVISION

It is with deep regret that the Fire Commissioner announces the death on November 1, 1988 of Fire Fighter (Special Hazards Inspector) Thomas J. Burke, Fire Prevention Division. Fire Fighter (Special Hazards Inspector) Burke was appointed to the department August 22, 1973.

The funeral was held from the William F. Spencer & Son Funeral Home, 575 East Broadway, South Boston, at 0800 hours, Friday, November 4, 1988 and followed by a Funeral Mass in St. Bridgid's Church, 845 East Broadway, South Boston, at 0900 hours.

The Fire Commissioner made the customary detail to act as funeral escort and members from Fire Prevention, Headquarters, Training, Maintenance and Research Divisions and the Rifle Honor Guard were excused to attend the services.

II. PROMOTION TO DISTRICT FIRE CHIEF

The following named member has been promoted to District Fire Chief and transferred to Headquarters, effective 0800 hours, November 8, 1988:

Fire Captain	
Paul R. Moore	Engine Company 24

III. PROMOTION TO FIRE CAPTAIN

The following named member has been promoted to Fire Captain and transferred to Headquarters, effective 0800 hours, Tuesday, November 8, 1988:

Fire Lieutenant	
Robert Dunderdale	Ladder Company 10

IV. PROMOTIONS TO FIRE LIEUTENANT

The following named members have been promoted to Fire Lieutenant and transferred to Headquarters, effective 0800 hours, Tuesday, November 8, 1988:

Fire Fighter	
Paul E. Gover	Engine Company 10
Fire Fighter	
Richard L. Powers	Rescue Company 1

V. TRANSFER

The transfer of the following named member became effective 0800 hours, October 17, 1988:

Fire Fighter

Thomas W. Matthews Pers./Medical to Fire Prev. Division _____

VI. FIRE ALARM BOX INSTALLED

The following numbered fire alarm box has been installed. Company commanders shall add it to their circuit list.

<u>Box</u>	<u>Circuit</u>
14-1523	78

VII. CHANGE IN DESIGNATION OF FIRE ALARM BOX

Company commanders shall change the designation of the following numbered fire alarm box to read as follows:

33-1824 MBTA J.F.K./U Mass Station, 893 Columbia Rd

VIII. FIRE ALARM BOXES ESTABLISHED

The following numbered fire alarm boxes will be established, effective 0800 hours, November 12, 1988 and will be installed in the near future. Company commanders shall insert the running cards issued with this order in their proper sequence.

13-2335	Museum of Fine Arts, Parking Garage, 20 Museum Rd
16-5371	Flynn Complex, Rear 200 St Thomas More Dr

X. COMMENDATIONS

On October 24, 1988, at approximately 11:30 A.M., the Randolph Police and Fire Departments were dispatched to a medical emergency, a reported heart attack at the Lantana function complex. Upon their arrival, Fire Fighter Kevin M. McCarthy of Ladder Company 4, while off duty, was observed performing CPR on an elderly male person in an extremely confined area in the rear of a bus. He continued CPR on the victim with a member of the Randolph Police Department until removal by the Fire Department ambulance.

The Fire Commissioner is pleased to commend Fire Fighter Kevin M. McCarthy for his professional action while operating under difficult conditions and makes this commendation a part of his personnel folder.

At 1417 hours, October 31, 1988, members of the department from District 4, Ladder 17, were dispatched to an incident that was reported by the Arson Investigation Unit. Rescue Company 1 and H-2 were later brought to the scene.

A Boston Police Department horse had become trapped when it fell into a hole in a sidewalk over an abandoned underground garage opposite #7 Warren Avenue.

The extrication required two hours, utilizing various forms of ingenuity, in order to remove the animal without additional injury.

The successful completion of this unusual task is a credit to the department and to all members who participated at the scene.

The department personnel at the incident are commended for their humane actions and a copy of this order will be placed in their personnel files.

District Fire Chief Robert W. Winston, District 4, Fire Captain Brian C. O'Donnell, Ladder Company 17, Fire Fighters Robert E. Martin, William J. Mitchell, Thomas W. Russell, Paul C. Griffin, Ladder Company 17, Fire Fighter (Aide to District 4) Garrett M. Stapleton, Fire Lieutenant Martin J. Nee, Fire Fighters Joseph M. Hughes, Edward J. Kulik, Paul S. Arathuzik, Francis J. Tierney, Rescue Company 1, Fire Fighter John F. Kelly, Special Unit (H-2), Fire Lieutenant Roy E. Burrill, Inspector Jerry E. Smith, Jr., Arson Investigation Unit,

COMMENDATIONS CONTINUED

On October 22, 1988, at approximately 2045 hours, Fire Fighter John J. Forristall of Engine Company 33 observed a man being pursued by several people along Dalton Street toward Engine Company 33's quarters while discarding a handbag as he fled.

Fire Fighter Forristall gave chase down Hereford Street and apprehended the person. He succeeded in bringing the person back to quarters where he was placed under arrest by the Boston Police. The contents of the handbag were found on his person.

Because Fire Fighter Forristall performed this act without regard for his own personal safety and in doing so brought credit to himself and the department, the Fire Commissioner is pleased to commend Fire Fighter John J. Forristall of Engine Company 33 and makes this commendation a part of his personnel file.

BY ORDER OF FIRE COMMISSIONER LEO D. STAPLETON

GENERAL ORDER
NO. 62

HEADQUARTERS, FIRE DEPARTMENT
NOVEMBER 25, 1988

I. TRANSFERS

The transfers of the following named members will become effective 0800 hours, Wednesday, November 30, 1988:

District Fire Chief	Robert M. Winston	District 4	to	District 8
Fire Lieutenant	Paul P. Finn	Engine Co. 56	to	Ladder Co. 1
Fire Lieutenant	James P. Roache	Engine Co. 3	to	Engine Co. 16
Fire Lieutenant	Donald C. Taber	Engine Co. 52	to	Pers./Medical
Fire Fighter	James M. Hardy	Ladder Co. 19	to	Rescue Co. 1
Fire Fighter	Christopher Mackin	Engine Co. 52	to	Marine Unit (Engineer)
Fire Fighter	Alfred C. Russo	Engine Co. 20	to	Haz-Mat (H-3)
Fire Fighter	Richard T. Kelley	Engine Co. 51	to	Engine Co. 49
Fire Fighter	John P. Hillery	Ladder Co. 16	to	Engine Co. 55
Fire Fighter	Patrick K. Keane	Ladder Co. 21	to	Ladder Co. 2
Fire Fighter	Paul J. Minton	Engine Co. 7	to	Ladder Co. 17
Fire Fighter	William D. Ceurvels	Ladder Co. 26	to	Ladder Co. 23
Fire Fighter	Richard J. McDonald	Ladder Co. 26	to	Ladder Co. 29
Fire Fighter	James A. Stokinger	Ladder Co. 16	to	Pers./Medical
Fire Fighter	Edward J. Burke	T.M.R. Division	to	Pers./Medical

II. FIRE ALARM BOXES INSTALLED

The following numbered fire alarm boxes have been installed. Company commanders shall add them to their respective circuit lists.

<u>BOX</u>	<u>CIRCUIT</u>
✓ 1913	24 (EVCS)
12-1914	49
15-531	73

III. CORRECTION TO FIRE ALARM BOX

Box 13-2335, established in G.O. #59, c.s., Section VIII, should read Box 13-2336.

IV. CHANGE IN DESIGNATION OF FIRE ALARM BOXES

Company commanders shall change the designation of the following numbered fire alarm boxes to read as follows:

12-1285 Office Building, 49 India St
15-1286 Office Building, 54-62 Broad St
135 Massachusetts General Hospital
12-1367 Suffolk University, Donahue Building, 41 Temple St
33-1412 MBTA South Station, Dewey Sq
12-1413 Federal Reserve Bank, 600 Atlantic Av
15-1414 Stone and Webster, 245 Summer St
16-1451 Office Building, 150 Tremont St
15-148 Tufts University, Research Center, 711 Washington St
16-148 New England Medical Center, Tupper Building,
15 Kneeland St
12-1491 Tufts University, Science Building,
118-146 Harrison Av
13-1491 New England Medical Center, Traders Building,
35 Kneeland St
14-1491 Tufts University, Sackler Library, 145 Harrison Av
16-1515 The Quality Inn, 275 Tremont St
12-1519 The Boston Park Plaza Hotel, 50 Park Plaza
12-1524 Franklin Institute, Main Building, 41 Berkeley St
13-1524 Franklin Institute, Administration Building,
465 Tremont St
14-1566 Horticultural Hall, 300 Massachusetts Av
12-1568 Sheraton Boston Hotel, 39 Dalton St
13-1573 Hynes Convention Center, 900 Boylston St
16-1573 Hynes Convention Center, 900 Boylston St
12-1612 Franklin Institute, Annex B, 439-441 Tremont St
13-1612 Franklin Institute, Annex A, 4 Appleton St
13-1653 University Hospital, Building B, 750 Harrison Av
16-1653 University Hospital, Building E, 75 East Newton St
17-1653 University Hospital, Building F, 732 Harrison Av
12-1654 University Hospital, Building H, 70 East Newton St
13-1654 University Hospital, Building T, 82 East Concord St.
1665 BCH, Corridor "B", at Bio-Chemistry Lab
12-1772 Early Learning Center, 370 Columbia Rd
13-2114 Digital Equipment Corp, 20 Hampden St
14-2127 Boston Public Library, 65 Warren St
disregard 213 Engine House 14, 174 Dudley St
12-2164 Roxbury Community Health Center, 435 Warren St
12-2172 Boston Public Library, 5 Crawford St
12-221 Carter Day Care Center, 396 Northampton St
12-2235 Madison Park High School Building 1,
55 New Dudley St
13-2235 Madison Park High School Building 2,
55 New Dudley St
14-2235 Madison Park High School Building 3,
55 New Dudley St
15-2235 Madison Park High School Building 4,
55 New Dudley St

CHANGE IN DESIGNATION OF FIRE ALARM BOXES CONTINUED

16-2235	Madison Park High School Building 5, 55 New Dudley St
17-2235	Madison Park High School Building 6, 55 New Dudley St
12-2287	Council of Elders, Housing for the Elderly, 2875 Washington St
12-3613	Lena Park Community Center, 150 American Legion Hwy
12-5371	Boston College, Edmunds Hall, 200 St Thomas More Dr
13-5371	Boston College, Walsh Hall, 150 St Thomas More Dr
14-5371	Boston College, Theatre Arts Complex, 50 St Thomas More Dr

BY ORDER OF FIRE COMMISSIONER LEO D. STAPLETON

HEADQUARTERS, FIRE DEPARTMENT
DECEMBER 9, 1988

HEADQUARTERS, FIRE DEPARTMENT
DECEMBER 9, 1988

1. FIRE ALARM OPERATOR STEVEN J. KARR - SPECIAL SERVICES DIVISION

It is with deep regret that the Fire Commissioner announces the death on November 22, 1988 of Fire Alarm Operator Steven J. Karr, Special Services Division. Fire Alarm Operator Karr was appointed to the department June 8, 1988.

The funeral was held from the Kenney Funeral Home, 1445 River Street, Hyde Park, at 0900 hours, Saturday, November 26, 1988, followed by a Funeral Mass in St. Adelbert's Church, 1450 River Street, Hyde Park, at 1000 hours.

The Fire Commissioner made the customary detail to act as funeral escort and members from Special Services, Training Maintenance and Research, Fire Prevention, Headquarters Divisions and the Rifle Honor Guard attended the services.

II. RETIREMENT

The retirement of the following named member, in accordance with the provisions of Section 5, C32, G.L., became effective 1700 hours, November 30, 1988:

—Fire Fighter
Nelson J. Pitman Rescue Company 1

Fire Fighter Pitman was appointed to the department April 27, 1949.

Fire Fighter Pitman leaves the department with the best wishes of his associates.

III. TRANSFER

The transfer of the following named member became effective 0800 hours, November 26, 1988:

Fire Fighter
Nelson J. Pitman Pers./Medical to Rescue Co. 1

IV. TEMPORARY APPOINTMENT - FIRE ALARM OPERATOR

The temporary appointment after certification of the following named Fire Alarm Operator became effective 0800 hours, December 7, 1988:

Arthur M. Hutchinson Special Services Div.

V. APPOINTMENT - INSIDE WIREMAN

The following named member has been appointed Inside Wireman, effective 0800 hours, December 7, 1988:

Kevin J. Drinan Special Services Div.

VI. CORRECTION

The company of the following named member was listed incorrectly in General Order No. 62, c.s.. It should have read as follows:

Fire Fighter

James A. Stokinger

Ladder Co. 28 to Pers./Medical

VIII. COMMENDATIONS

Fire Lieutenant Robert J. Counihan and Fire Fighter Leo P. Hughes, Rescue Company 1, are hereby commended for their outstanding C.P.R. efforts in an attempt to preserve the life of an infant during operations at Box 6179 - 3 alarms, on November 20, 1988.

The severity of the victim's injuries resulted in its death at a later date but the dedication of both members in their performance of duty is exemplary.

The Fire Commissioner is pleased to commend Fire Lieutenant Robert J. Counihan and Fire Fighter Leo P. Hughes of Rescue Company 1 for their professionalism and dedication to duty and makes this commendation a part of their personnel folder.

The Fire Commissioner is please to commend Fire Fighter Rolando Oyola, Engine Company 56, for responding to and working at Box 6179 (3 alarms) on November 20, 1988, while off duty.

IX. FIRE ALARM BOXES INSTALLED

The following numbered fire alarm boxes have been installed. Company commanders shall add them to their respective circuit lists.

BOX	CIRCUIT
12-1285	2
12-1916	49
12-1917	49
12-1919	49

X.- CORRECTION TO FIRE ALARM BOXES

The following numbered fire alarm boxes, listed in General Order #62, c.s., Section IV, are corrected as follows:

Box 13-1524	should read	Box 13-1525
Box 12-1285	should read	Office Building, 54-62 Broad St
Box 15-1286	should read	Office Building, 49 India St

XI. CHANGE IN DESIGNATION OF FIRE ALARM BOX

Company commanders shall change the designation of the following numbered fire alarm box to read as follows:

213 Ladder House 4, 174 Dudley St

XII. SPECIAL RESPONSE

The following numbered fire alarm boxes have been designated as special response boxes. Company commanders shall make the required changes on the running cards.

12-1916 - 12-1917

XIII. "FAX"

For information of the department, both Fire Headquarters and the Fire Alarm Office are now equipped with a FAX (facsimile) machines for transmitting and receiving written messages over telephone lines. The FAX numbers are Fire Alarm (617) 353-0884 - Headquarters (617) 725-3329.

BY ORDER OF FIRE COMMISSIONER LEO D. STAPLETON

GENERAL ORDER
NO. 67

HEADQUARTERS, FIRE DEPARTMENT
DECEMBER 27, 1988

I. TRANSFERS

The transfers of the following named members will become effective 0800 hours, December 31, 1988:

District Fire Chief			
William W. Hayhurst	District 3	to	District 4
Fire Captain			
Edward G. Lorenz	Ladder Co. 11	to	Engine Co. 24
Fire Lieutenant			
John M. Doherty	Ladder Co. 17	to	Engine Co. 3
Fire Lieutenant			
Daniel J. Chisholm	Engine Co. 28	to	Engine Co. 52
Fire Lieutenant			
David W. Joseph	Ladder Co. 11	to	Ladder Co. 10
Fire Lieutenant			
John D. Teehan	Headquarters	to	Engine Co. 56
Fire Fighter			
Steven P. Rushton	Engine Co. 55	to	Engine Co. 10
Fire Fighter			
Ernest M. Taro	Ladder Co. 6	to	Engine Co. 20
Fire Fighter			
Michael P. Finn	Engine Co. 8	to	Engine Co. 52
Fire Fighter			
James P. McCusker	Engine Co. 37	to	Ladder Co. 19
Fire Fighter			
William A. Devine	Engine Co. 37	to	Ladder Co. 26
Fire Fighter			
Steven P. Oisini	Ladder Co. 2	to	Engine Co. 7
Fire Fighter			
Jacob H. Bukoff	Engine Co. 2	to	Headquarters
Fire Fighter			
George E. Howard	Engine Co. 9	to	Ladder Co. 11
Fire Fighter			
Hershel Lane	Engine Co. 16	to	Pers./Medical
Lineman			
John V. Frechette	Spec. Serv. Div.	to	Pers./Medical

III. CHANGE IN DESIGNATION OF FIRE ALARM BOX

Company commanders shall change the designation of the following numbered fire alarm box to read as follows:

12-4224 Building 62, 62 Fourth St

BY ORDER OF FIRE COMMISSIONER LEO D. STAPLETON